







CHAINS, BELTS & COMPONENTS




箱格链
CASE CONVEYOR CHAINS

龙骨链
MULTIFLEX CHAINS

特殊链
SPECIAL CHAINS


箱格链/龙骨链 Case Conveyor / Multiflex Chains

2500 箱格链 2500 CASE CONVEYOR CHAIN



链条编号 Chain Code	节距 Pitch (mm)	链板宽度 Chain Width (mm)	转弯半径 Sideflex Radius Min. (mm)	工作载荷 Working Load (max.) (N)	背弯半径 Backflex Radius Min. (mm)	重量 Weight (kg/m)
2500	63.5	44	600	3500	75	1.93




2700 龙骨链 2700 MULTIFLEX CHAIN



链条编号 Chain Code	节距 Pitch (mm)	链板宽度 Chain Width (mm)	转弯半径 Sideflex Radius Min. (mm)	工作载荷 Working Load (max.) (N)	重量 Weight (kg/m)
2700	70	110	250	11000	4.36




龙骨链 *Multiflex Chains*

1700 龙骨链 1700 MULTIFLEX CHAIN



链条编号 Chain Code	节距 Pitch (mm)	链板宽度 Chain Width (mm)	转弯半径 Sideflex Radius Min. (mm)	工作载荷 Working Load (max.) (N)	背弯半径 Backflex Radius Min. (mm)	重量 Weight (kg/m)
1700	50	55	150	2500	50	1.11

1700TAB 龙骨链 1700TAB MULTIFLEX CHAIN




链条编号 Chain Code	节距 Pitch (mm)	链板宽度 Chain Width (mm)	转弯半径 Sideflex Radius Min. (mm)	工作载荷 Working Load (max.) (N)	背弯半径 Backflex Radius Min. (mm)	重量 Weight (kg/m)
1700TAB	50	55	150	2500	50	1.20

龙骨链 *Multiflex Chains*

1701 龙骨链 1701 MULTIFLEX CHAIN



链轮 Sprocket
Page C19




链条编号 Chain Code	节距 Pitch (mm)	链板宽度 Chain Width (mm)	转弯半径 Sideflex Radius Min. (mm)	工作载荷 Working Load (max.) (N)	背弯半径 Backflex Radius Min. (mm)	重量 Weight (kg/m)
1701	50	55	150	2500	50	1.35

1706 龙骨链 1706 MULTIFLEX CHAIN






链轮 Sprocket
Page C19



链条编号 Chain Code	节距 Pitch (mm)	链板宽度 Chain Width (mm)	转弯半径 Sideflex Radius Min. (mm)	工作载荷 Working Load (max.) (N)	背弯半径 Backflex Radius Min. (mm)	重量 Weight (kg/m)
1706	50	53.2	150	2500	50	1.40

龙骨链 Multiflex Chains




1702 龙骨链 1702 MULTIFLEX CHAIN



TRAVEL
→

链条编号 Chin Code	节距 PITCH (mm)	链板宽度 Chain Width (mm)	转弯半径 Sideflex Radius Min. (mm)	工作载荷 Working Load (max.) (N)	背弯半径 Backflex Radius Min. (mm)	重量 Weight (kg/m)
1702	50	53.2	150	2500	50	1.27

1702TAB 龙骨链 1702TAB MULTIFLEX CHAIN



TRAVEL
→

链条编号 Chin Code	节距 PITCH (mm)	链板宽度 Chain Width (mm)	转弯半径 Sideflex Radius Min. (mm)	工作载荷 Working Load (max.) (N)	背弯半径 Backflex Radius Min. (mm)	重量 Weight (kg/m)
1702TAB	50	53.2	150	2500	50	1.32




龙骨链 *Multiflex Chains*

1702M 龙骨链 1702M MULTIFLEX CHAIN



链轮 Sprocket

Page C19



TRAVEL




链条编号 Chin Code	节距 PITCH (mm)	链板宽度 Chain Width (mm)	转弯半径 Sideflex Radius Min. (mm)	工作载荷 Working Load (max.) (N)	背弯半径 Backflex Radius Min. (mm)	重量 Weight (kg/m)
1702M	50	53.2	150	2500	50	1.45

1702TAB-M 龙骨链 1702TAB-M MULTIFLEX CHAIN



链轮 Sprocket

Page C19




TRAVEL

链条编号 Chin Code	节距 PITCH (mm)	链板宽度 Chain Width (mm)	转弯半径 Sideflex Radius Min. (mm)	工作载荷 Working Load (max.) (N)	背弯半径 Backflex Radius Min. (mm)	重量 Weight (kg/m)
1702TAB-M	50	53.2	150	2500	50	1.50



龙骨链 *Multiflex Chains*

1713 龙骨链 1713 MULTIFLEX CHAIN





链条编号 Chain Code	节距 Pitch (mm)	链板宽度 Chain Width W (mm)	转弯半径 Sideflex Radius Min. (mm)	工作载荷 Working Load (max.) (N)	重量 Weight (kg/m)
1713 - K1000	50	254	500	4500	2.60
1713 - K1200	50	304.8	500	4500	2.80
1713 - K1575	50	401	500	4500	3.10

1723TAB - L 龙骨链 1723TAB - L MULTIFLEX CHAIN





1723TAB - L

1723TAB - R 龙骨链 1723TAB - R MULTIFLEX CHAIN



1723TAB - R

1723TAB - M 龙骨链 1723TAB - M MULTIFLEX CHAIN




1723TAB - M

链条编号 Chain Code	节距 Pitch (mm)	链板宽度 Chain Width W (mm)	转弯半径 Sideflex Radius Min. (mm)	工作载荷 Working Load (max.) (N)	重量 Weight (kg/m)
1723TAB - L	50.8	114	140	7000	2.26
1723TAB - R	50.8	114	140	7000	2.26
1723TAB - M	50.8	114	140	7000	2.26

龙骨链 *Multiflex Chains*

1755 龙骨链 1755 MULTIFLEX CHAIN




链条编号 Chain Code	节距 Pitch (mm)	链板宽度 Chain Width (mm)	转弯半径 Sideflex Radius Min. (mm)	工作载荷 Working Load (max.) (N)	重量 Weight (kg/m)
1755	40.15	27.8	150	1500	0.33

1765 龙骨链 1765 MULTIFLEX CHAIN



链轮 Sprocket
Page C19




链条编号 Chain Code	节距 Pitch (mm)	链板宽度 Chain Width (mm)	转弯半径 Sideflex Radius Min. (mm)	工作载荷 Working Load (max.) (N)	重量 Weight (kg/m)
1765	50	55	120	2670	1.55

龙骨链 *Multiflex Chains*

1775 龙骨链
1775 MULTIFLEX CHAIN




链轮 Sprocket
Page C19



链条编号 Chain Code	节距 Pitch (mm)	链板宽度 Chain Width (mm)	转弯半径 Sideflex Radius Min. (mm)	工作载荷 Working Load (max.) (N)	重量 Weight (kg/m)
1775	25	70	150	1000	1.05

1785 龙骨链
1785 MULTIFLEX CHAIN



链条编号 Chain Code	节距 Pitch (mm)	链板宽度 Chain Width (mm)	转弯半径 Sideflex Radius Min. (mm)	工作载荷 Working Load (max.) (N)	重量 Weight (kg/m)
1785	48	114.3	170	2500	2.54



DISTRIBUTOR

地址: 江苏省常州市龙城大道2188号新闸科技工业园2号楼
 Add: Building No.2, Xinzha Hi-tech Industrial Park
 No.2188, Longcheng Ave., Changzhou, Jiangsu,
 China 213012
 电话: (Tel) +86-519-88166775, 86617695
 E-Mail: sales@net-conveyor.com
 Web: www.net-conveyor.com