




CHAINS, BELTS & COMPONENTS





带座轴承
BEARING UNITS



不锈钢外球面带座轴承 *Stainless Steel Bearing Units*

SUCP 系列不锈钢外球面带座轴承

SUCP SERIES STAINLESS STEEL BEARING UNIT







Unti: mm

带座轴承型号 Bearing Unit No.	轴径 Bore Dia. D		H	A	E	b	S ₁	S ₂	G	W	S	B	轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)
	(inch)	(mm)													
SUCP 201 SUCP 201-8 SUCP 202 SUCP 202-10 SUCP 203 SUCP 203-11	1/2 5/8 11/16	12 15 17	33.3	127	96	36	13	19	13	60	12.7	31	SUC 201 SUC 201-8 SUC 202 SUC 202-10 SUC 203 SUC 203-11	SP 203	0.77
SUCP 204 SUCP 204-12	3/4	20	33.3	127	95	38	13	19	14	65	12.7	31	SUC 204 SUC 204-12	SP 204	0.74
SUCP 205 SUCP 205-14 SUCP 205-15 SUCP 205-16	7/8 15/16 1	25	36.5	140	105	38	13	19	15	71	14.3	34.1	SUC 205 SUC 205-14 SUC 205-15 SUC 205-16	SP 205	0.85
SUCP 206 SUCP 206-17 SUCP 206-18 SUCP 206-19 SUCP 206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	42.9	165	121	47	17	21	17	83	15.9	38.1	SUC 206 SUC 206-17 SUC 206-18 SUC 206-19 SUC 206-20	SP 206	1.39
SUCP 207 SUCP 207-20 SUCP 207-21 SUCP 207-22 SUCP 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	47.6	167	127	48	17	21	18	93	17.5	42.9	SUC 207 SUC 207-20 SUC 207-21 SUC 207-22 SUC 207-23	SP 207	1.65
SUCP 208 SUCP 208-24 SUCP 208-25	1-1/2 1-9/16	40	49.2	184	137	54	17	21	18	100	19.0	49.2	SUC 208 SUC 208-24 SUC 208-25	SP 208	2.10
SUCP 209 SUCP 209-26 SUCP 209-27 SUCP 209-28	1-5/8 1-11/16 1-3/4	45	54.0	190	146	54	17	21	20	106	19.0	49.2	SUC 209 SUC 209-26 SUC 209-27 SUC 209-28	SP 209	2.34
SUCP 210 SUCP 210-29 SUCP 210-30 SUCP 210-31 SUCP 210-32	1-13/16 1-7/8 1-15/16 2	50	57.2	206	159	60	20	25	22	114	19.0	51.6	SUC 210 SUC 210-29 SUC 210-30 SUC 210-31 SUC 210-32	SP 210	2.80
SUCP 211 SUCP 211-32 SUCP 211-33 SUCP 211-34 SUCP 211-35	2 2-1/16 2-1/8 2-3/16	55	63.5	219	171	60	20	25	23	126	22.2	55.6	SUC 211 SUC 211-32 SUC 211-33 SUC 211-34 SUC 211-35	SP 211	3.47
SUCP 212 SUCP 212-36 SUCP 212-37 SUCP 212-38 SUCP 212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	69.8	241	184	70	20	25	25	137	25.4	65.1	SUC 212 SUC 212-36 SUC 212-37 SUC 212-38 SUC 212-39	SP 212	4.56
SUCP 213 SUCP 213-40 SUCP 213-41	2-1/2 2-9/16	65	76.2	265	203	70	25	30	27	150	25.4	65.1	SUC 213 SUC 213-40 SUC 213-41	SP 213	6.25
SUCP 214 SUCP 214-42 SUCP 214-43 SUCP 214-44	2-5/8 2-11/16 2-3/4	70	79.4	265	210	72	25	30	27	155	30.2	74.6	SUC 214 SUC 214-42 SUC 214-43 SUC 214-44	SP 214	6.36
SUCP 215 SUCP 215-45 SUCP 215-46 SUCP 215-47 SUCP 215-48	2-13/16 2-7/8 2-15/16 3	75	82.6	274	217	74	25	31	28	162	33.3	77.8	SUC 215 SUC 215-45 SUC 215-46 SUC 215-47 SUC 215-48	SP 215	7.15
SUCP 216 SUCP 216-50	3-1/8	80	88.9	292	232	78	25	31	30	172	33.3	82.6	SUC 216 SUC 216-50	SP 216	8.70
SUCP 217 SUCP 217-52	3-1/4	85	95.2	309	247	83	25	31	32	186	34.1	85.7	SUC 217 SUC 217-52	SP 217	11.06
SUCP 218 SUCP 218-56	3-1/2	90	101.6	326	262	88	27	36	33	198	39.7	96	SUC 218 SUC 218-56	SP 218	13.04

不锈钢外球面带座轴承 *Stainless Steel Bearing Units*

SUCPA 系列不锈钢外球面带座轴承

SUCPA SERIES STAINLESS STEEL BEARING UNIT





Unit: mm

带座轴承型号 Bearing Unit No.	轴径 Bore Dia. D		H	A	E	b	G	W	L	T	S	B	轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)
	(inch)	(mm)													
SUCPA 201 SUCPA 201-8 SUCPA 202 SUCPA 202-10 SUCPA 203 SUCPA 203-11	1/2 5/8 11/16	12 15 17	30.2	76	52	40	11	62	13	M10	12.7	31	SUC 201 SUC 201-8 SUC 202 SUC 202-10 SUC 203 SUC 203-11	SPA 203	0.55
SUCPA 204 SUCPA 204-12	3/4	20	30.2	76	52	40	11	62	13	M10	12.7	31	SUC 204 SUC 204-12	SPA 204	0.52
SUCPA 205 SUCPA 205-14 SUCPA 205-15 SUCPA 205-16	7/8 15/16 1	25	36.5	84	56	38	12	72	15	M10	14.3	34.1	SUC 205 SUC 205-14 SUC 205-15 SUC 205-16	SPA 205	0.72
SUCPA 206 SUCPA 206-17 SUCPA 206-18 SUCPA 206-19 SUCPA 206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	42.9	94	66	50	12	84	18	M14	15.9	38.1	SUC 206 SUC 206-17 SUC 206-18 SUC 206-19 SUC 206-20	SPA 206	1.09
SUCPA 207 SUCPA 207-20 SUCPA 207-21 SUCPA 207-22 SUCPA 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	47.6	109	80	55	13	95	20	M14	17.5	42.9	SUC 207 SUC 207-20 SUC 207-21 SUC 207-22 SUC 207-23	SPA 207	1.53
SUCPA 208 SUCPA 208-24 SUCPA 208-25	1-1/2 1-9/16	40	49.2	116	84	58	13	100	20	M14	19.0	49.2	SUC 208 SUC 208-24 SUC 208-25	SPA 208	1.76
SUCPA 209 SUCPA 209-26 SUCPA 209-27 SUCPA 209-28	1-5/8 1-11/16 1-3/4	45	54.2	120	90	60	13	108	25	M14	19.0	49.2	SUC 209 SUC 209-26 SUC 209-27 SUC 209-28	SPA 209	2.06
SUCPA 210 SUCPA 210-29 SUCPA 210-30 SUCPA 210-31 SUCPA 210-32	1-13/16 1-7/8 1-15/16 2	50	57.2	130	94	64	14	116	25	M16	19.0	51.6	SUC 210 SUC 210-29 SUC 210-30 SUC 210-31 SUC 210-32	SPA 210	2.38
SUCPA 211 SUCPA 211-32 SUCPA 211-33 SUCPA 211-34 SUCPA 211-35	2 2-1/16 2-1/8 2-3/16	55	63.5	140	104	66	14	125	25	M16	22.2	55.6	SUC 211 SUC 211-32 SUC 211-33 SUC 211-34 SUC 211-35	SPA 211	2.89
SUCPA 212 SUCPA 212-36 SUCPA 212-37 SUCPA 212-38 SUCPA 212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	69.9	150	114	68	15	138	25	M16	25.4	65.1	SUC 212 SUC 212-36 SUC 212-37 SUC 212-38 SUC 212-39	SPA 212	3.81
SUCPA 213 SUCPA 213-40 SUCPA 213-41	2-1/2 2-9/16	65	76.2	160	124	70	15	150	25	M16	25.4	65.1	SUC 213 SUC 213-40 SUC 213-41	SPA 213	5.12

不锈钢外球面带座轴承 *Stainless Steel Bearing Units*

SUCF 系列不锈钢外球面带座轴承

SUCF SERIES STAINLESS STEEL BEARING UNIT




Unit: mm

带座轴承型号 Bearing Unit No.	轴径 Bore Dia. D		A	E	I	G	L	N	B	S	轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)
	(inch)	(mm)											
SUCF 201 SUCF 201-8 SUCF 202 SUCF 202-10 SUCF 203 SUCF 203-11	1/2 5/8 11/16	12 15 17	86	64	15	11	25.5	12	33.3	12.7	SUC 201 SUC 201-8 SUC 202 SUC 202-10 SUC 203 SUC 203-11	SF 203	0.59
SUCF 204 SUCF 204-12	3/4	20	86	64	15	12	25.5	12	33.3	12.7	SUC 204 SUC 204-12	SF 204	0.56
SUCF 205 SUCF 205-14 SUCF 205-15 SUCF 205-16	7/8 15/16 1	25	95	70	16	14	27	12	35.8	14.3	SUC 205 SUC 205-14 SUC 205-15 SUC 205-16	SF 205	0.74
SUCF 206 SUCF 206-17 SUCF 206-18 SUCF 206-19 SUCF 206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	108	83	18	14.3	31	12	40.2	15.9	SUC 206 SUC 206-17 SUC 206-18 SUC 206-19 SUC 206-20	SF 206	1.00
SUCF 207 SUCF 207-20 SUCF 207-21 SUCF 207-22 SUCF 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	117	92	19	15.5	34	14	44.4	17.5	SUC 207 SUC 207-20 SUC 207-21 SUC 207-22 SUC 207-23	SF 207	1.26
SUCF 208 SUCF 208-24 SUCF 208-25	1-1/2 1-9/16	40	130	102	21	15.5	36	16	51.2	19.0	SUC 208 SUC 208-24 SUC 208-25	SF 208	1.68
SUCF 209 SUCF 209-26 SUCF 209-27 SUCF 209-28	1-5/8 1-11/16 1-3/4	45	137	105	22	17.5	38	16	52.2	19.0	SUC 209 SUC 209-26 SUC 209-27 SUC 209-28	SF 209	2.03
SUCF 210 SUCF 210-29 SUCF 210-30 SUCF 210-31 SUCF 210-32	1-13/16 1-7/8 1-15/16 2	50	143	111	22	17.5	40	16	54.6	19.0	SUC 210 SUC 210-29 SUC 210-30 SUC 210-31 SUC 210-32	SF 210	2.18
SUCF 211 SUCF 211-32 SUCF 211-33 SUCF 211-34 SUCF 211-35	2 2-1/16 2-1/8 2-3/16	55	162	130	25	19.5	43	19	58.4	22.2	SUC 211 SUC 211-32 SUC 211-33 SUC 211-34 SUC 211-35	SF 211	3.28
SUCF 212 SUCF 212-36 SUCF 212-37 SUCF 212-38 SUCF 212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	175	143	29	19.5	48	19	68.7	25.4	SUC 212 SUC 212-36 SUC 212-37 SUC 212-38 SUC 212-39	SF 212	3.99
SUCF 213 SUCF 213-40 SUCF 213-41	2-1/2 2-9/16	65	187	149	30	22	50	19	69.7	25.4	SUC 213 SUC 213-40 SUC 213-41	SF 213	5.07
SUCF 214 SUCF 214-42 SUCF 214-43 SUCF 214-44	2-5/8 2-11/16 2-3/4	70	193	152	31	23	54	19	75.4	30.2	SUC 214 SUC 214-42 SUC 214-43 SUC 214-44	SF 214	5.55
SUCF 215 SUCF 215-45 SUCF 215-46 SUCF 215-47 SUCF 215-48	2-13/16 2-7/8 2-15/16 3	75	200	159	34	23	56	19	78.5	33.3	SUC 215 SUC 215-45 SUC 215-46 SUC 215-47 SUC 215-48	SF 215	5.79
SUCF 216 SUCF 216-50	3-1/8	80	208	165	34	24	58	23	83.3	33.3	SUC 216 SUC 216-50	SF 216	6.73
SUCF 217 SUCF 217-52	3-1/4	85	220	175	36	25	63	23	87.6	34.1	SUC 217 SUC 217-52	SF 217	7.88
SUCF 218 SUCF 218-56	3-1/2	90	235	187	40	25	68	23	96.3	39.7	SUC 218 SUC 218-56	SF 218	9.83

不锈钢外球面带座轴承 *Stainless Steel Bearing Units*

SUCFL 系列不锈钢外球面带座轴承

SUCFL SERIES STAINLESS STEEL BEARING UNIT




Unit: mm

带座轴承型号 Bearing Unit No.	轴径 Bore Dia. D		A	E	I	b	G	L	N	B	S	轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)
	(inch)	(mm)												
SUCFL 201 SUCFL 201-8 SUCFL 202 SUCFL 202-10 SUCFL 203 SUCFL 203-11	1/2 5/8 11/16	12 15 17	99	76.2	15	55	11	25.5	12	31	10	SUC 201 SUC 201-8 SUC 202 SUC 202-10 SUC 203 SUC 203-11	SFL 203	0.46
SUCFL 204 SUCFL 204-12	3/4	20	113	90	15	60	11	25.5	12	33.3	12.7	SUC 204 SUC 204-12	SFL 204	0.44
SUCFL 205 SUCFL 205-14 SUCFL 205-15 SUCFL 205-16	7/8 15/16 1	25	130	99	16	68	13	27	16	35.8	14.3	SUC 205 SUC 205-14 SUC 205-15 SUC 205-16	SFL 205	0.55
SUCFL 206 SUCFL 206-17 SUCFL 206-18 SUCFL 206-19 SUCFL 206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	148	117	18	80	13	31	16	40.2	15.9	SUC 206 SUC 206-17 SUC 206-18 SUC 206-19 SUC 206-20	SFL 206	0.76
SUCFL 207 SUCFL 207-20 SUCFL 207-21 SUCFL 207-22 SUCFL 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	161	130	19	90	15	34	16	44.4	17.5	SUC 207 SUC 207-20 SUC 207-21 SUC 207-22 SUC 207-23	SFL 207	1.12
SUCFL 208 SUCFL 208-24 SUCFL 208-25	1-1/2 1-9/16	40	175	144	21	100	15	36	16	51.2	19.0	SUC 208 SUC 208-24 SUC 208-25	SFL 208	1.44
SUCFL 209 SUCFL 209-26 SUCFL 209-27 SUCFL 209-28	1-5/8 1-11/16 1-3/4	45	188	148	22	108	16	38	19	52.2	19.0	SUC 209 SUC 209-26 SUC 209-27 SUC 209-28	SFL 209	1.68
SUCFL 210 SUCFL 210-29 SUCFL 210-30 SUCFL 210-31 SUCFL 210-32	1-13/16 1-7/8 1-15/16 2	50	197	157	22	115	16	40	19	54.6	19.0	SUC 210 SUC 210-29 SUC 210-30 SUC 210-31 SUC 210-32	SFL 210	2.00
SUCFL 211 SUCFL 211-32 SUCFL 211-33 SUCFL 211-34 SUCFL 211-35	2 2-1/16 2-1/8 2-3/16	55	224	184	25	130	19	43	19	58.4	22.2	SUC 211 SUC 211-32 SUC 211-33 SUC 211-34 SUC 211-35	SFL 211	2.73
SUCFL 212 SUCFL 212-36 SUCFL 212-37 SUCFL 212-38 SUCFL 212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	250	202	29	140	20	48	23	68.7	25.4	SUC 212 SUC 212-36 SUC 212-37 SUC 212-38 SUC 212-39	SFL 212	3.58
SUCFL 213 SUCFL 213-40 SUCFL 213-41	2-1/2 2-9/16	65	258	210	30	155	22	50	23	69.7	25.4	SUC 213 SUC 213-40 SUC 213-41	SFL 213	4.62
SUCFL 214 SUCFL 214-42 SUCFL 214-43 SUCFL 214-44	2-5/8 2-11/16 2-3/4	70	265	216	31	160	22	54	23	75.4	30.2	SUC 214 SUC 214-42 SUC 214-43 SUC 214-44	SFL 214	5.02
SUCFL 215 SUCFL 215-45 SUCFL 215-46 SUCFL 215-47 SUCFL 215-48	2-13/16 2-7/8 2-15/16 3	75	275	225	34	165	22	56	23	78.5	33.3	SUC 215 SUC 215-45 SUC 215-46 SUC 215-47 SUC 215-48	SFL 215	5.19
SUCFL 216 SUCFL 216-50	3-1/8	80	290	233	34	180	22	58	25	83.3	33.3	SUC 216 SUC 216-50	SFL 216	6.12
SUCFL 217 SUCFL 217-52	3-1/4	85	305	248	36	190	24	63	25	87.6	34.1	SUC 217 SUC 217-52	SFL 217	7.21
SUCFL 218 SUCFL 218-56	3-1/2	90	320	265	40	205	24	68	25	96.3	39.7	SUC 218 SUC 218-56	SFL 218	9.03

不锈钢外球面带座轴承 *Stainless Steel Bearing Units*

SUCT 系列不锈钢外球面带座轴承

SUCT SERIES STAINLESS STEEL BEARING UNIT






Unit: mm

带座轴承型号 Bearing Unit No.	轴径 Bore Dia. D		W	H	G	b	N	Q	O	A	E	P	J	K	L	B	S	轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)
	(inch)	(mm)																		
SUCT 201 SUCT 201-8 SUCT 202 SUCT 202-10 SUCT 203 SUCT 203-11	1/2 5/8 11/16	12 15 17	94	61	10	51	19	32	16	89	76	51	32	12	21	31.0	12.7	SUC 201 SUC 201-8 SUC 202 SUC 202-10 SUC 203 SUC 203-11	ST 203	0.78
SUCT 204 SUCT 204-12	3/4	20	94	61	10	51	19	32	16	89	76	51	32	12	21	31.0	12.7	SUC 204 SUC 204-12	ST 204	0.76
SUCT 205 SUCT 205-14 SUCT 205-15 SUCT 205-16	7/8 15/16 1	25	97	62	10	51	19	32	16	89	76	51	32	12	24	34.1	14.3	SUC 205 SUC 205-14 SUC 205-15 SUC 205-16	ST 205	0.84
SUCT 206 SUCT 206-17 SUCT 206-18 SUCT 206-19 SUCT 206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	113	70	11	57	22	37	16	102	89	56	37	12	28	38.1	15.9	SUC 206 SUC 206-17 SUC 206-18 SUC 206-19 SUC 206-20	ST 206	1.29
SUCT 207 SUCT 207-20 SUCT 207-21 SUCT 207-22 SUCT 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	130	78	14	64	22	37	16	102	89	64	37	12	30	42.9	17.5	SUC 207 SUC 207-20 SUC 207-21 SUC 207-22 SUC 207-23	ST 207	1.65
SUCT 208 SUCT 208-24 SUCT 208-25	1-1/2 1-9/16	40	144	88	17	83	29	49	19	114	102	83	49	16	33	49.2	19.0	SUC 208 SUC 208-24 SUC 208-25	ST 208	2.44
SUCT 209 SUCT 209-26 SUCT 209-27 SUCT 209-28	1-5/8 1-11/16 1-3/4	45	145	87	17	83	29	49	19	117	102	83	49	16	35	49.2	19.0	SUC 209 SUC 209-26 SUC 209-27 SUC 209-28	ST 209	2.51
SUCT 210 SUCT 210-29 SUCT 210-30 SUCT 210-31 SUCT 210-32	1-13/16 1-7/8 1-15/16 2	50	150	90	17	86	29	49	19	117	102	83	49	16	37	51.6	19.0	SUC 210 SUC 210-29 SUC 210-30 SUC 210-31 SUC 210-32	ST 210	2.62
SUCT 211 SUCT 211-32 SUCT 211-33 SUCT 211-34 SUCT 211-35	2 2-1/16 2-1/8 2-3/16	55	171	106	19	95	35	64	25	145	130	102	64	22	38	55.6	22.2	SUC 211 SUC 211-32 SUC 211-33 SUC 211-34 SUC 211-35	ST 211	3.89
SUCT 212 SUCT 212-36 SUCT 212-37 SUCT 212-38 SUCT 212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	194	119	19	102	35	64	32	145	130	102	64	22	42	65.1	25.4	SUC 212 SUC 212-36 SUC 212-37 SUC 212-38 SUC 212-39	ST 212	4.69
SUCT 213 SUCT 213-40 SUCT 213-41	2-1/2 2-9/16	65	223	137	21	120	41	70	32	167	151	111	70	26	44	65.1	25.4	SUC 213 SUC 213-40 SUC 213-41	ST 213	7.29
SUCT 214 SUCT 214-42 SUCT 214-43 SUCT 214-44	2-5/8 2-11/16 2-3/4	70	223	137	21	120	41	70	32	167	151	111	70	26	46	74.6	30.2	SUC 214 SUC 214-42 SUC 214-43 SUC 214-44	ST 214	7
SUCT 215 SUCT 215-45 SUCT 215-46 SUCT 215-47 SUCT 215-48	2-13/16 2-7/8 2-15/16 3	75	232	140	21	121	41	70	32	167	151	111	70	26	48	77.8	33.3	SUC 215 SUC 215-45 SUC 215-46 SUC 215-47 SUC 215-48	ST 215	7.15
SUCT 216 SUCT 216-50	3-1/8	80	234	140	21	121	41	70	32	184	165	111	70	26	51	82.6	33.3	SUC 216 SUC 216-50	ST 216	8.40
SUCT 217 SUCT 217-52	3-1/4	85	258	162	29	157	48	73	38	198	173	123	73	30	54	85.7	34.1	SUC 217 SUC 217-52	ST 217	10.95
SUCT 218 SUCT 218-56	3-1/2	90	275	170	30	140	48	80	40	215	190	130	80	30	55	96	39.7	SUC 218 SUC 218-56	ST 218	13.73

不锈钢外球面带座轴承 *Stainless Steel Bearing Units*

SUCFC 系列不锈钢外球面带座轴承

SUCFC SERIES STAINLESS STEEL BEARING UNIT




Unit: mm

带座轴承型号 Bearing Unit No.	轴径 Bore Dia. D		A	P	E	I	F	N	G	J	K	B	S	轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)
	(inch)	(mm)														
SUCFC 201 SUCFC 201-8 SUCFC 202 SUCFC 202-10 SUCFC 203 SUCFC 203-11	1/2 5/8 11/16	12 15 17	100	78	55.1	10	62	12	20.5	5	7	31	12.7	SUC 201 SUC 201-8 SUC 202 SUC 202-10 SUC 203 SUC 203-11	SFC 203	0.75
SUCFC 204 SUCFC 204-12	3/4	20	100	78	55.1	10	62	12	20.5	5	7	31	12.7	SUC 204 SUC 204-12	SFC 204	0.72
SUCFC 205 SUCFC 205-14 SUCFC 205-15 SUCFC 205-16	7/8 15/16 1	25	115	90	63.6	10	70	12	21	6	7	34.1	14.3	SUC 205 SUC 205-14 SUC 205-15 SUC 205-16	SFC 205	1.02
SUCFC 206 SUCFC 206-17 SUCFC 206-18 SUCFC 206-19 SUCFC 206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	125	100	70.7	10	80	12	23	8	8	38.1	15.9	SUC 206 SUC 206-17 SUC 206-18 SUC 206-19 SUC 206-20	SFC 206	1.31
SUCFC 207 SUCFC 207-20 SUCFC 207-21 SUCFC 207-22 SUCFC 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	135	110	77.8	11	90	14	26	8	9	42.9	17.5	SUC 207 SUC 207-20 SUC 207-21 SUC 207-22 SUC 207-23	SFC 207	1.64
SUCFC 208 SUCFC 208-24 SUCFC 208-25	1-1/2 1-9/16	40	145	120	84.8	11	100	14	26	10	9	49.2	19.0	SUC 208 SUC 208-24 SUC 208-25	SFC 208	1.94
SUCFC 209 SUCFC 209-26 SUCFC 209-27 SUCFC 209-28	1-5/8 1-11/16 1-3/4	45	160	132	93.3	10	105	16	26	12	14	49.2	19.0	SUC 209 SUC 209-26 SUC 209-27 SUC 209-28	SFC 209	2.75
SUCFC 210 SUCFC 210-29 SUCFC 210-30 SUCFC 210-31 SUCFC 210-32	1-13/16 1-7/8 1-15/16 2	50	165	138	97.6	10	110	16	28	12	14	51.6	19.0	SUC 210 SUC 210-29 SUC 210-30 SUC 210-31 SUC 210-32	SFC 210	2.96
SUCFC 211 SUCFC 211-32 SUCFC 211-33 SUCFC 211-34 SUCFC 211-35	2 2-1/16 2-1/8 2-3/16	55	185	150	106.1	13	125	19	31	12	15	55.6	22.2	SUC 211 SUC 211-32 SUC 211-33 SUC 211-34 SUC 211-35	SFC 211	3.88
SUCFC 212 SUCFC 212-36 SUCFC 212-37 SUCFC 212-38 SUCFC 212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	195	160	113.1	17	135	19	36	12	15	65.1	25.4	SUC 212 SUC 212-36 SUC 212-37 SUC 212-38 SUC 212-39	SFC 212	4.69
SUCFC 213 SUCFC 213-40 SUCFC 213-41	2-1/2 2-9/16	65	205	170	120.2	16	145	19	36	14	15	65.1	25.4	SUC 213 SUC 213-40 SUC 213-41	SFC 213	5.86
SUCFC 214 SUCFC 214-42 SUCFC 214-43 SUCFC 214-44	2-5/8 2-11/16 2-3/4	70	215	177	125.1	17	150	19	40	14	18	74.6	30.2	SUC 214 SUC 214-42 SUC 214-43 SUC 214-44	SFC 214	6.9
SUCFC 215 SUCFC 215-45 SUCFC 215-46 SUCFC 215-47 SUCFC 215-48	2-13/16 2-7/8 2-15/16 3	75	220	184	130.1	18	160	19	40	16	18	77.8	33.3	SUC 215 SUC 215-45 SUC 215-46 SUC 215-47 SUC 215-48	SFC 215	7.19
SUCFC 216 SUCFC 216-50	3-1/8	80	240	200	141.4	18	170	23	42	16	18	82.6	33.3	SUC 216 SUC 216-50	SFC 216	8.58
SUCFC 217 SUCFC 217-52	3-1/4	85	250	208	147.1	18	180	23	45	18	20	85.7	34.1	SUC 217 SUC 217-52	SFC 217	10.56
SUCFC 218 SUCFC 218-56	3-1/2	90	265	220	155.5	22	190	23	50	18	20	96	39.7	SUC 218 SUC 218-56	SFC 218	12.33

不锈钢外球面带座轴承 *Stainless Steel Bearing Units*

SUCFB 系列不锈钢外球面带座轴承

SUCFB SERIES STAINLESS STEEL BEARING UNIT





Unit: mm

带座轴承型号 Bearing Unit No.	轴径 Bore Dia.		A	H	E	J	I	G	L	N	B	F	Bi	Z	S	轴承 Bearing No.	轴承座 Housing No.	重量 Weight (kg)
	D (inch)	(mm)																
SUCFB 201		12														SUC 201		
SUCFB 201-8	1/2															SUC 201-8		
SUCFB 202		15														SUC 202		
SUCFB 202-9	9/16		108	43.3	38.1	22	15.9	8	25.4	10	63.5	60	34.2	31	12.7	SUC 202-9	SFB203	0.56
SUCFB 202-10	5/8															SUC 202-10		
SUCFB 203		17														SUC 203		
SUCFB 203-11	11/16															SUC 203-11		
SUCFB 204		20														SUC 204		
SUCFB 204-12	3/4		108	43.3	38.1	22	15.9	8	25.4	10	63.5	60	34.2	31	12.7	SUC 204-12	SFB204	0.53
SUCFB 205		25														SUC 205		
SUCFB 205-13	13/16															SUC 205-13		
SUCFB 205-14	7/8		121	46	41.3	28.5	16.7	9.5	28.5	10	70	63	36.5	34.1	14.3	SUC 205-14	SFB205	0.71
SUCFB 205-15	15/16															SUC 205-15		
SUCFB 205-16	1															SUC 205-16		
SUCFB 206		30														SUC 206		
SUCFB 206-17	1-1/16															SUC 206-17		
SUCFB 206-18	1-1/8		136	52.4	47.6	31.7	18.6	9.5	32	10	82	69.5	40.8	38.1	15.9	SUC 206-18	SFB206	1.02
SUCFB 206-19	1-3/16															SUC 206-19		
SUCFB 206-20	1-1/4															SUC 206-20		
SUCFB 207		35														SUC 207		
SUCFB 207-20	1-1/4															SUC 207-20		
SUCFB 207-21	1-5/16		156	60.3	50.8	31.7	21	13	36.5	13	95	82.5	46.4	42.9	17.5	SUC 207-21	SFB207	1.56
SUCFB 207-22	1-3/8															SUC 207-22		
SUCFB 207-23	1-7/16															SUC 207-23		
SUCFB 208		40														SUC 208		
SUCFB 208-24	1-1/2		164	60.3	50	41.3	21	16.5	35.7	12	100	78	51.2	49.2	19	SUC 208-24	SFB208	1.72
SUCFB 208-25	1-9/16															SUC 208-25		
SUCFB 209		45														SUC 209		
SUCFB 209-26	1-5/8															SUC 209-26		
SUCFB 209-27	1-11/16		174	65	54	42.9	21.8	18.3	38	12	105.5	80	52	49.2	19	SUC 209-27	SFB209	1.98
SUCFB 209-28	1-3/4															SUC 209-28		
SUCFB 210		50														SUC 210		
SUCFB 210-29	1-13/16															SUC 210-29		
SUCFB 210-30	1-7/8		190	74.6	70	41.3	21.8	13	38	13	118	101.5	54.4	51.6	19	SUC 210-30	SFB210	2.52
SUCFB 210-31	1-15/16															SUC 210-31		
SUCFB 210-32	2															SUC 210-32		

塑料轴承座配不锈钢轴承 *Plastic Housing With Stainless Steel Bearing*

UCPPL 系列塑料轴承座配不锈钢轴承

UCPPL SERIES PLASTIC HOUSING WITH STAINLESS STEEL BEARING





Unit: mm

带座轴承型号 Bearing Unit No.	轴径 Bore Dia.		H	A	E	b	S ₁	S ₂	G	W	S	B	轴承 Bearing No.	轴承座 Housing No.	轴承座重量 Housing Weight (kg)	螺栓 Bolt Size
	D															
	(inch)	(mm)														
UCPPL 201 UCPPL 201-8 UCPPL 202 UCPPL 202-10 UCPPL 203 UCPPL 203-11	1/2 5/8 11/16	12 15 17	33.3	127	95	38	11	14	14.2	65.5	12.7	31	SUC 201 SUC 201-8 SUC 202 SUC 202-10 SUC 203 SUC 203-11	PPL204	0.12	M10
UCPPL 204 UCPPL 204-12	3/4	20	33.3	127	95	38	11	14	14.2	65.5	12.7	31	SUC 204 SUC 204-12	PPL204	0.13	M10
UCPPL 205 UCPPL 205-14 UCPPL 205-15 UCPPL 205-16	7/8 15/16 1	25	36.5	140.5	105	38	11	14	14.5	71.5	14.3	34.1	SUC 205 SUC 205-14 SUC 205-15 SUC 205-16	PPL205	0.14	M10
UCPPL 206 UCPPL 206-17 UCPPL 206-18 UCPPL 206-19 UCPPL 206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	42.9	163.5	119	46	14	18	17.8	83.5	15.9	38.1	SUC 206 SUC 206-17 SUC 206-18 SUC 206-19 SUC 206-20	PPL206	0.22	M12
UCPPL 207 UCPPL 207-20 UCPPL 207-21 UCPPL 207-22 UCPPL 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	47.6	168	127	48	14	18	18	94.5	17.5	42.9	SUC 207 SUC 207-20 SUC 207-21 SUC 207-22 SUC 207-23	PPL207	0.25	M12
UCPPL 208 UCPPL 208-24 UCPPL 208-25	1-1/2 1-9/16	40	49.2	184	137	54	14	18	20	99	19	49.2	SUC 208 SUC 208-24 SUC 208-25	PPL208	0.29	M12
UCPPL 209 UCPPL 209-26 UCPPL 209-27 UCPPL 209-28	1-5/8 1-11/16 1-3/4	45	54	192	146	54	17	20	23	106	19	49.2	SUC 209 SUC 209-26 SUC 209-27 SUC 209-28	PPL209	0.34	M16
UCPPL 210 UCPPL 210-29 UCPPL 210-30 UCPPL 210-31 UCPPL 210-32	1-13/16 1-7/8 1-15/16 2	50	57.2	206	159	60	17	20	23	114	19	51.6	SUC 210 SUC 210-29 SUC 210-30 SUC 210-31 SUC 210-32	PPL210	0.43	M16
UCPPL 211 UCPPL 211-32 UCPPL 211-33 UCPPL 211-34 UCPPL 211-35	2 2-1/16 2-1/8 2-3/16	55	63.5	220	171	60	17	20	23	126	22.2	55.6	SUC 211 SUC 211-32 SUC 211-33 SUC 211-34 SUC 211-35	PPL211	0.54	M16
UCPPL 212 UCPPL 212-36 UCPPL 212-37 UCPPL 212-38 UCPPL 212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	69.8	241	184	70	17	20	25	138	25.4	65.1	SUC 212 SUC 212-36 SUC 212-37 SUC 212-38 SUC 212-39	PPL212	0.71	M16

塑料轴承座配不锈钢轴承 *Plastic Housing With Stainless Steel Bearing*

UCFPL 系列塑料轴承座配不锈钢轴承
UCFPL SERIES PLASTIC HOUSING WITH STAINLESS STEEL BEARING





Unit: mm

带座轴承型号 Bearing Unit No.	轴径 Bore Dia.		A	E	G	N	L	I	S	B	轴承 Bearing No.	轴承座 Housing No.	轴承座重量 Housing Weight (kg)	螺栓 Bolt Size
	D (inch)	D (mm)												
UCFPL 201 UCFPL 201-8 UCFPL 202 UCFPL 202-10 UCFPL 203 UCFPL 203-11	1/2 5/8 11/16	12 15 17	86	63.5	13.4	11	27.8	18	12.7	31	SUC 201 SUC 201-8 SUC 202 SUC 202-10 SUC 203 SUC 203-11	FPL204	0.12	M10
UCFPL 204 UCFPL 204-12	3/4	20	53	63.5	13.4	11	27.8	18	12.7	31	SUC 204 SUC 204-12	FPL204	0.12	M10
UCFPL 205 UCFPL 205-14 UCFPL 205-15 UCFPL 205-16	7/8 15/16 1	25	95	70	14.5	11	28	17	14.3	34.1	SUC 205 SUC 205-14 SUC 205-15 SUC 205-16	FPL205	0.15	M10
UCFPL 206 UCFPL 206-17 UCFPL 206-18 UCFPL 206-19 UCFPL 206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	107	83	14.5	11	31.5	19.2	15.9	38.1	SUC 206 SUC 206-17 SUC 206-18 SUC 206-19 SUC 206-20	FPL206	0.18	M10
UCFPL 207 UCFPL 207-20 UCFPL 207-21 UCFPL 207-22 UCFPL 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	117	92	16	13	34.8	21.5	17.5	42.9	SUC 207 SUC 207-20 SUC 207-21 SUC 207-22 SUC 207-23	FPL207	0.24	M12
UCFPL 208 UCFPL 208-24 UCFPL 208-25	1-1/2 1-9/16	40	129	102	17	14	36.5	23	19	49.2	SUC 208 SUC 208-24 SUC 208-25	FPL208	0.32	M12
UCFPL 209 UCFPL 209-26 UCFPL 209-27 UCFPL 209-28	1-5/8 1-11/16 1-3/4	45	137	105	19	17	41	24	19	49.2	SUC 209 SUC 209-26 SUC 209-27 SUC 209-28	FPL209	0.35	M16
UCFPL 210 UCFPL 210-29 UCFPL 210-30 UCFPL 210-31 UCFPL 210-32	1-13/16 1-7/8 1-15/16 2	50	143	111	20	17	42	25	19	51.6	SUC 210 SUC 210-29 SUC 210-30 SUC 210-31 SUC 210-32	FPL210	0.40	M16
UCFPL 211 UCFPL 211-32 UCFPL 211-33 UCFPL 211-34 UCFPL 211-35	2 2-1/16 2-1/8 2-3/16	55	162	130	19.5	19	43	25	22.2	55.6	SUC 211 SUC 211-32 SUC 211-33 SUC 211-34 SUC 211-35	FPL211	0.50	M18
UCFPL 212 UCFPL 212-36 UCFPL 212-37 UCFPL 212-38 UCFPL 212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	175	143	19	19	48	29	25.4	65.1	SUC 212 SUC 212-36 SUC 212-37 SUC 212-38 SUC 212-39	FPL212	0.58	M18

塑料轴承座配不锈钢轴承 *Plastic Housing With Stainless Steel Bearing*

UCFLPL 系列塑料轴承座配不锈钢轴承

UCFLPL SERIES PLASTIC HOUSING WITH STAINLESS STEEL BEARING






Unit: mm

带座轴承型号 Bearing Unit No.	轴径 Bore Dia.		A	E	b	G	L	N	I	S	B	轴承 Bearing No.	轴承座 Housing No.	轴承座重量 Housing Weight (kg)	螺栓 Bolt Size
	D														
	(inch)	(mm)													
UCFLPL 201 UCFLPL 201-8 UCFLPL 202 UCFLPL 202-10 UCFLPL 203 UCFLPL 203-11	1/2 5/8 11/16	12 15 17	113	90	64	11.4	26.5	11	15.4	12.7	31	SUC 201 SUC 201-8 SUC 202 SUC 202-10 SUC 203 SUC 203-11	FLPL204	0.08	M10
UCFLPL 204 UCFLPL 204-12	3/4	20	113	90	64	11.4	26.5	11	15.4	12.7	31	SUC 204 SUC 204-12	FLPL204	0.08	M10
UCFLPL 205 UCFLPL 205-14 UCFLPL 205-15 UCFLPL 205-16	7/8 15/16 1	25	131	99	69.5	14	29.5	11	17	14.3	34.1	SUC 205 SUC 205-14 SUC 205-15 SUC 205-16	FLPL205	0.11	M10
UCFLPL 206 UCFLPL 206-17 UCFLPL 206-18 UCFLPL 206-19 UCFLPL 206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	148	117	80	14	30.5	11	19	15.9	38.1	SUC 206 SUC 206-17 SUC 206-18 SUC 206-19 SUC 206-20	FLPL206	0.12	M10
UCFLPL 207 UCFLPL 207-20 UCFLPL 207-21 UCFLPL 207-22 UCFLPL 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	164	130	90	16	32.8	13	18	17.5	42.9	SUC 207 SUC 207-20 SUC 207-21 SUC 207-22 SUC 207-23	FLPL207	0.15	M12
UCFLPL 208 UCFLPL 208-24 UCFLPL 208-25	1-1/2 1-9/16	40	175	144	99	20	37.5	14	21.5	19	49.2	SUC 208 SUC 208-24 SUC 208-25	FLPL208	0.21	M12
UCFLPL 209 UCFLPL 209-26 UCFLPL 209-27 UCFLPL 209-28	1-5/8 1-11/16 1-3/4	45	188	148	108	21	41	17	24	19	49.2	SUC 209 SUC 209-26 SUC 209-27 SUC 209-28	FLPL209	0.26	M16
UCFLPL 210 UCFLPL 210-29 UCFLPL 210-30 UCFLPL 210-31 UCFLPL 210-32	1-13/16 1-7/8 1-15/16 2	50	197	157	115	21	42	17	25	19	51.6	SUC 210 SUC 210-29 SUC 210-30 SUC 210-31 SUC 210-32	FLPL210	0.29	M16
UCFLPL 211 UCFLPL 211-32 UCFLPL 211-33 UCFLPL 211-34 UCFLPL 211-35	2 2-1/16 2-1/8 2-3/16	55	224	184	128	18.5	43	19	25	22.2	55.6	SUC 211 SUC 211-32 SUC 211-33 SUC 211-34 SUC 211-35	FLPL211	0.36	M18
UCFLPL 212 UCFLPL 212-36 UCFLPL 212-37 UCFLPL 212-38 UCFLPL 212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	250	202	139	24	48	19	29	25.4	65.1	SUC 212 SUC 212-36 SUC 212-37 SUC 212-38 SUC 212-39	FLPL212	0.51	M18

塑料轴承座配不锈钢轴承 *Plastic Housing With Stainless Steel Bearing*

UCPAPL 系列塑料轴承座配不锈钢轴承

UCPAPL SERIES PLASTIC HOUSING WITH STAINLESS STEEL BEARING





Unit: mm

带座轴承型号 Bearing Unit No.	轴径 Bore Dia. D		H	A	E	b	W	S	B	轴承 Bearing No.	轴承座 Housing No.	轴承座重量 Housing Weight (kg)	螺栓 Bolt Size
	(inch)	(mm)											
UCPAPL 201 UCPAPL 201-8 UCPAPL 202 UCPAPL 202-10 UCPAPL 203 UCPAPL 203-11	1/2 5/8 11/16	12 15 17	33.3	74	50.8	35	66.5	12.7	31	SUC 201 SUC 201-8 SUC 202 SUC 202-10 SUC 203 SUC 203-11	PAPL204	0.13	M8
UCPAPL 204 UCPAPL 204-12	3/4	20	33.3	74	50.8	35	66.5	12.7	31	SUC 204 SUC 204-12	PAPL204	0.11	M8
UCPAPL 205 UCPAPL 205-14 UCPAPL 205-15 UCPAPL 205-16	7/8 15/16 1	25	36.5	76.5	50.8	39.5	74	14.3	34.1	SUC 205 SUC 205-14 SUC 205-15 SUC 205-16	PAPL205	0.14	M10
UCPAPL 206 UCPAPL 206-17 UCPAPL 206-18 UCPAPL 206-19 UCPAPL 206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	42.9	102	76.2	42.5	84.5	15.9	38.1	SUC 206 SUC 206-17 SUC 206-18 SUC 206-19 SUC 206-20	PAPL206	0.20	M10
UCPAPL 207 UCPAPL 207-20 UCPAPL 207-21 UCPAPL 207-22 UCPAPL 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	47.6	109.5	82.6	47.5	95	17.5	42.9	SUC 207 SUC 207-20 SUC 207-21 SUC 207-22 SUC 207-23	PAPL207	0.24	M10
UCPAPL 208 UCPAPL 208-24 UCPAPL 208-25	1-1/2 1-9/16	40	49.2	121	88.9	48	100.5	19	49.2	SUC 208 SUC 208-24 SUC 208-25	PAPL208	0.28	M12
UCPAPL 209 UCPAPL 209-26 UCPAPL 209-27 UCPAPL 209-28	1-5/8 1-11/16 1-3/4	45	54	124	95.3	50	107	19	49.2	SUC 209 SUC 209-26 SUC 209-27 SUC 209-28	PAPL209	0.37	M12
UCPAPL 210 UCPAPL 210-29 UCPAPL 210-30 UCPAPL 210-31 UCPAPL 210-32	1-13/16 1-7/8 1-15/16 2	50	57.2	135	101.6	54	115	19	51.6	SUC 210 SUC 210-29 SUC 210-30 SUC 210-31 SUC 210-32	PAPL210	0.46	M16
UCPAPL 211 UCPAPL 211-32 UCPAPL 211-33 UCPAPL 211-34 UCPAPL 211-35	2 2-1/16 2-1/8 2-3/16	55	63.5	140	104	66	125	22.2	55.6	SUC 211 SUC 211-32 SUC 211-33 SUC 211-34 SUC 211-35	PAPL211	0.61	M20
UCPAPL 212 UCPAPL 212-36 UCPAPL 212-37 UCPAPL 212-38 UCPAPL 212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	69.9	150	114	68	138	25.4	65.1	SUC 212 SUC 212-36 SUC 212-37 SUC 212-38 SUC 212-39	PAPL212	0.70	M20

塑料轴承座配不锈钢轴承 *Plastic Housing With Stainless Steel Bearing*

UCFCPL 系列塑料轴承座配不锈钢轴承

UCFCPL SERIES PLASTIC HOUSING WITH STAINLESS STEEL BEARING




Unit: mm

带座轴承型号 Bearing Unit No.	轴径 Bore Dia. D		A	P	E	I	F	N	G	J	K	Bi	S	轴承 Bearing No.	轴承座 Housing No.	轴承座重量 Housing Weight (kg)	螺栓 Bolt Size
	(inch)	(mm)															
UCFCPL 204		20												SUC 204	FCPL204	0.13	M10
UCFCPL 204-12	3/4		100	78	55.1	10	62	11	20.5	5	7	31	12.7	SUC 204-12			
UCFCPL 205		25												SUC 205	FCPL205	0.17	M10
UCFCPL 205-14	7/8		115	90	63.6	10	70	11	21	6	7	34.1	14.3	SUC 205-14			
UCFCPL 205-15	15/16													SUC 205-15			
UCFCPL 205-16	1													SUC 205-16			
UCFCPL 206		30												SUC 206	FCPL206	0.20	M10
UCFCPL 206-17	1-1/16													SUC 206-17			
UCFCPL 206-18	1-1/8		125	100	70.7	10	80	11	23	8	8	38.1	15.9	SUC 206-18			
UCFCPL 206-19	1-3/16													SUC 206-19			
UCFCPL 206-20	1-1/4													SUC 206-20			
UCFCPL 207		35												SUC 207	FCPL207	0.24	M12
UCFCPL 207-20	1-1/4													SUC 207-20			
UCFCPL 207-21	1-5/16		135	110	77.8	11	90	13	26	8	9	42.9	17.5	SUC 207-21			
UCFCPL 207-22	1-3/8													SUC 207-22			
UCFCPL 207-23	1-7/16													SUC 207-23			
UCFCPL 208		40												SUC 208	FCPL208	0.28	M12
UCFCPL 208-24	1-1/2		145	120	84.8	11	100	13	26	10	9	49.2	19	SUC 208-24			
UCFCPL 208-25	1-9/16													SUC 208-25			

塑料轴承座配不锈钢轴承 *Plastic Housing With Stainless Steel Bearing*

UCTPL 系列塑料轴承座配不锈钢轴承
UCTPL SERIES PLASTIC HOUSING WITH STAINLESS STEEL BEARING




Unit: mm

带座轴承型号 Bearing Unit No.	轴径 Bore Dia. D		W	L	K	H	E	Q	A	b	B	S	轴承 Bearing No.	轴承座 Housing No.	轴承座重量 Housing Weight (kg)	螺栓 Bolt Size
	(inch)	(mm)														
UCTPL 201 UCTPL 201-8 UCTPL 202 UCTPL 202-9 UCTPL 202-10 UCTPL 203 UCTPL 203-11	1/2 9/16 5/8 11/16	12 15 17	101.5	27.5	12	64	76	35	88	47	31	12.7	SUC 201 SUC 201-8 SUC 202 SUC 202-9 SUC 202-10 SUC 203 SUC 203-11	TPL204	0.16	M16
UCTPL 204 UCTPL 204-12	3/4	20	101.5	27.5	12	64	76	35	88	47	31	12.7	SUC 204 SUC 204-12	TPL204	0.17	M16
UCTPL 205 UCTPL 205-13 UCTPL 205-14 UCTPL 205-15 UCTPL 205-16	13/16 7/8 15/16 1	25	101.5	27.5	12	64	76	35	88	47	34.1	14.3	SUC 205 SUC 205-13 SUC 205-14 SUC 205-15 SUC 205-16	TPL205	0.15	M16
UCTPL 206 UCTPL 206-17 UCTPL 206-18 UCTPL 206-19 UCTPL 206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	125.5	34.5	12	76	89	40	102	63	38.1	15.9	SUC 206 SUC 206-17 SUC 206-18 SUC 206-19 SUC 206-20	TPL206	0.28	M16
UCTPL 207 UCTPL 207-20 UCTPL 207-21 UCTPL 207-22 UCTPL 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	125	34.5	12	76	89	40	102	63	42.9	17.5	SUC 207 SUC 207-20 SUC 207-21 SUC 207-22 SUC 207-23	TPL207	0.23	M16
UCTPL 208 UCTPL 208-24 UCTPL 208-25	1-1/2 1-9/16	40	140	38.5	16	85	102	39.5	114	80	49.2	19	SUC 208 SUC 208-24 SUC 208-25	TPL208	0.33	M16
UCTPL 209 UCTPL 209-26 UCTPL 209-27 UCTPL 209-28	1-5/8 1-11/16 1-3/4	45	149	40	16	90	102	50	117	85	49.2	19	SUC 209 SUC 209-26 SUC 209-27 SUC 209-28	TPL209	0.39	M20
UCTPL 210 UCTPL 210-29 UCTPL 210-30 UCTPL 210-31 UCTPL 210-32	1-13/16 1-7/8 1-15/16 2	50	149	40	16	90	102	50	117	85	51.6	19	SUC 210 SUC 210-29 SUC 210-30 SUC 210-31 SUC 210-32	TPL210	0.32	M20

塑料轴承座配不锈钢轴承 *Plastic Housing With Stainless Steel Bearing*

UCFBPL 系列塑料轴承座配不锈钢轴承

UCFBPL SERIES PLASTIC HOUSING WITH STAINLESS STEEL BEARING





Unit: mm

带座轴承型号 Bearing Unit No.	轴径 Bore Dia.		F	e	C	A	N	J	H	B	L	G	I	S	E	轴承 Bearing No.	轴承座 Housing No.	轴承座重量 Housing Weight (kg)	螺栓 Bolt Size
	D																		
	(inch)	(mm)																	
UCFBPL 201	1/2	12	62	38.1	76.5	108.5	11	22.2	42.9	62	26.5	12	15.4	12.7	31	SUC 201	FBPL204	0.1	M10
UCFBPL 201-8		SUC 201-8																	
UCFBPL 202	5/8	15														SUC 202			
UCFBPL 202-10		SUC 202-10																	
UCFBPL 203	11/16	17														SUC 203			
UCFBPL 203-11		SUC 203-11																	
UCFBPL 204	3/4	20	62	38.1	76.5	108.5	11	22.2	42.9	62	26.5	12	15.4	12.7	31	SUC 204	FBPL204	0.1	M10
UCFBPL 204-12		SUC 204-12																	
UCFBPL 205	13/16	25	63.5	41.3	85.7	120.6	11	28.6	46	69	33.5	12	21	14.3	34.1	SUC 205	FBPL205	0.12	M10
UCFBPL 205-13																SUC 205-14			
UCFBPL 205-14																SUC 205-15			
UCFBPL 205-15																SUC 205-16			
UCFBPL 205-16																			
UCFBPL 206	1-1/16	30	75	47.6	98.5	140	11	31.8	52.4	82	31.5	14	19	15.9	38.1	SUC 206	FBPL206	0.17	M10
UCFBPL 206-17																SUC 206-17			
UCFBPL 206-18																SUC 206-18			
UCFBPL 206-19																SUC 206-19			
UCFBPL 206-20																SUC 206-20			
UCFBPL 207	1-1/4	35	89	50.8	110	158	13	31.8	60.3	94	36.5	17	21.4	17.5	42.9	SUC 207	FBPL207	0.25	M12
UCFBPL 207-20																SUC 207-20			
UCFBPL 207-21																SUC 207-21			
UCFBPL 207-22																SUC 207-22			
UCFBPL 207-23																SUC 207-23			
UCFBPL 208	1-1/2	40	78	50	114	164	13	41.3	60.3	100	35.7	18	21.4	19	49.2	SUC 208	FBPL208	0.23	M12
UCFBPL 208-24																SUC 208-24			
UCFBPL 208-25																SUC 208-25			

塑料轴承座配不锈钢轴承 *Plastic Housing With Stainless Steel Bearing*

EC200 C/O 系列塑料盖开式/闭式
EC200 C/O SERIES PLASTIC CAP CLOSED/OPEN





Unit: mm

带座轴承型号 Bearing Unit No.	轴径 Bore Dia.	外形尺寸 Dimension					
	d	D	b	M	N	K	L
EC204 C/O	20	52	6	50	7	32	23
EC205 C/O	25	62	6	55	7	37	25
EC206 C/O	30	72	6	64	7	42	30
EC207 C/O	35	82	6	74.5	7	47	32
EC208 C/O	40	88	6	84	7	52	37
EC209 C/O	45	93	6	89	7	57	41
EC210 C/O	50	98	6	94	7	62	47
EC211 C/O	55	108	6	104	7	65	56
EC212 C/O	60	118	6	114	7	70	60




不锈钢带座轴承 *Stainless Steel Bearing Units*


UCF 新款系列不锈钢带座轴承
UCF NEW SERIES STAINLESS STEEL BEARING UNIT




Version with
Grub Screws




Version with
Eccentric Ring




Closed Version
with Grub Screws



Open Version
with Grub Screws



Closed Version
with Eccentric Ring




Open Version
with Eccentric Ring

Unit: mm

带座轴承型号 Bearing Unit No.	轴径 Bore Dia. d	外形尺寸 Dimension							带紧定螺丝轴承 Bearing with Grub Screws	带偏心套轴承 Bearing with Eccentric Ring
		A	B	C	J	Z	U	V		
UCF 206-30	30	111	83	11	24	33	63	65	SSB 206	SSA 206
UCF 206-40	40	111	83	11	24	33	63	65	SSB 208	SSA 208
UCF 208-40	40	131	102	11	29	38	68	70	SSB 208	SSA 208
UCF 208-50	50	131	102	11	29	38	68	70	SSB 210	SSA 210

不锈钢外球面轴承 *Stainless Steel Bearings*

SUC200 系列不锈钢外球面轴承 SUC200 SERIES STAINLESS STEEL BEARING




Unit: mm

带座轴承型号 Bearing Unit No.	轴径 Bore Dia.		D	Bi	Be	r	N	M	G	ds	T	额定动负荷 Basic Load Rating (kN)	额定静负荷 Basic Static Load Rating (kN)	重量 Weight (kg)
	d													
	(inch)	(mm)												
SUC 201 SUC 201-8 SUC 202 SUC 202-10 SUC 203 SUC 203-11 SUC 204 SUC 204-12	1/2 5/8 11/16 3/4	12 15 17 20	47	31	16(420) 17(440)	1	12.7	18.3	4.7	M6×0.75 1/4-28 M6×0.75 1/4-28 M6×0.75 1/4-28 M6×0.75 1/4-28	4.0	10.37	5.08	0.21 0.20 0.19 0.19 0.18 0.18 0.16 0.16
SUC 205 SUC 205-14 SUC 205-15 SUC 205-16	7/8 15/16 1	25	52	34.1	17	1.5	14.3	19.8	5	M6×0.75 1/4-28	4.2	11.31	6.00	0.19 0.22 0.20 0.19
SUC 206 SUC 206-17 SUC 206-18 SUC 206-19 SUC 206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	62	38.1	19	1.5	15.9	22.2	5	M6×0.75 1/4-28	5.0	15.81	8.64	0.31 0.36 0.34 0.32 0.31
SUC 207 SUC 207-20 SUC 207-21 SUC 207-22 SUC 207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	72	42.9	20	2.0	17.5	25.4	7	M8×1 5/16-24	5.7	20.83	11.68	0.44 0.50 0.48 0.46 0.44
SUC 208 SUC 208-24 SUC 208-25	1-1/2 1-9/16	40	80	49.2	21	2.0	19.0	30.2	8	M8×1 5/16-24	6.3	23.55	13.60	0.58 0.63 0.59
SUC 209 SUC 209-26 SUC 209-27 SUC 209-28	1-5/8 1-11/16 1-3/4	45	85	49.2	22	2.0	19.0	30.2	8	M8×1 5/16-24	6.3	26.35	15.60	0.67 0.75 0.71 0.68
SUC 210 SUC 210-29 SUC 210-30 SUC 210-31 SUC 210-32	1-13/16 1-7/8 1-15/16 2	50	90	51.6	24	2.0	19.0	32.6	10	M10×1.25 3/8-24	6.6	28.48	18	0.73 0.84 0.81 0.75 0.73
SUC 211 SUC 211-32 SUC 211-33 SUC 211-34 SUC 211-35	2 2-1/16 2-1/8 2-3/16	55	100	55.6	25	2.5	22.2	33.4	10	M10×1.25 3/8-24	7	35.28	22.4	1.00 1.15 1.11 1.03 0.98
SUC 212 SUC 212-36 SUC 212-37 SUC 212-38 SUC 212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	110	65.1	27	2.5	25.4	39.7	10	M10×1.25 3/8-24	7	42.5	26.34	1.34 1.47 1.37 1.31 1.24
SUC 213 SUC 213-40 SUC 213-41	2-1/2 2-9/16	65	120	65.1	30	2.5	25.4	39.7	10	M10×1.25 3/8-24	8.5	46.5	30.4	2.07 2.06 1.98
SUC 214 SUC 214-42 SUC 214-43 SUC 214-44	2-5/8 2-11/16 2-3/4	70	125	74.6	30	2.5	30.2	44.4	12	M12×1.5 7/16-20	8.9	50.15	33.6	2.06 2.10 2.08 2.07
SUC 215 SUC 215-45 SUC 215-46 SUC 215-47 SUC 215-48	2-13/16 2-7/8 2-15/16 3	75	130	77.8	32	2.5	33.3	44.5	12	M12×1.5 7/16-20	9.2	53.55	37.6	2.19 2.41 2.31 2.21 2.11
SUC 216 SUC 216-50	3-1/8	80	140	82.6	33	3	33.3	49.3	14	M12×1.5 7/16-20	9.6	58.65	40.8	2.82 2.90
SUC 217 SUC 217-52	3-1/4	85	150	85.7	35	3	34.1	51.6	14	M12×1.5 7/16-20	10.5	68	48.8	3.46 3.56
SUC 218 SUC 218-56	3-1/2	90	160	96	37	3	39.7	56.3	15	M12×1.5 7/16-20	11	77.52	54.56	4.53 4.62

不锈钢外球面轴承 *Stainless Steel Bearings*

SSA200 系列不锈钢外球面轴承

SSA200 SERIES STAINLESS STEEL BEARING




Unit: mm

带座轴承型号 Bearing Unit No.	轴径 Bore Dia. d		D	Bi	Be	r	N	M	L	W	K	G	ds	额定动负荷 Basic Load Rating (kN)	额定静负荷 Basic Static Load Rating (kN)	重量 Weight (kg)
	(inch)	(mm)														
SSA 201	1/2	12	40	19.1	12	0.8	6	13.1	28.6	28.6	13.5	5	M6×0.75	7.84	3.58	0.12
SSA 201-8		12											1/4-28			0.14
SSA 202	5/8	15											M6×0.75			0.11
SSA 202-10		15											1/4-28			0.13
SSA 203	11/16	17											M6×0.75			0.10
SSA 203-11		17											1/4-28			0.12
SSA 204	3/4	20	47	21.5	14	1	7	14.5	31	33.3	13.5	5	M6×0.75	10.37	5.04	0.15
SSA 204-12		20											1/4-28			0.16
SSA 205	7/8	25	52	21.5	15	1.2	7.5	14	31	38.1	13.5	5	M6×0.75	11.31	5.97	0.18
SSA 205-14		25														0.21
SSA 205-15		25											1/4-28			0.19
SSA 205-16		25														0.18
SSA 206	1-1/16	30	62	23.8	16	1.2	8	15.8	35.7	44.5	15.9	6	M8×1	15.73	8.64	0.30
SSA 206-17		30														0.34
SSA 206-18		30											5/16-24			0.32
SSA 206-19		30														0.30
SSA 206-20		30														0.29
SSA 207	1-1/4	35	72	25.4	17	1.5	8.5	16.9	38.9	55.6	17.5	6.5	M8×1	20.83	11.68	0.50
SSA 207-20		35														0.55
SSA 207-21		35											5/16-24			0.53
SSA 207-22		35														0.50
SSA 207-23		35														0.47
SSA 208	1-1/2	40	80	30.2	18	1.5	9	21.2	43.7	60.3	18.3	6.5	M8×1	23.55	13.6	0.63
SSA 208-24		40											5/16-24			0.67
SSA 208-25	1-9/16	40														0.65
SSA 209	1-5/8	45	85	30.2	19	1.8	9.5	20.7	43.7	63.5	18.3	6.5	M8×1	26.44	19.56	0.66
SSA 209-26		45														0.74
SSA 209-27		45											5/16-24			0.72
SSA 209-28		45														0.67
SSA 210	1-13/16	50	90	30.2	20	1.8	10	20.2	43.7	69.9	18.3	6.5	M8×1	30.01	22.53	0.80
SSA 210-29		50														0.90
SSA 210-30		50											3/8-24			0.86
SSA 210-31		50														0.83
SSA 210-32		50														0.79
SSA 211	2	55	100	32.5	21	2	10.5	22	48.4	76.2	20.7	8	M10×1.25	32.39	24	0.77
SSA 211-32		55														0.95
SSA 211-33		55											3/8-24			0.91
SSA 211-34		55														0.86
SSA 211-35		55														0.81
SSA 212	2-1/4	60	110	37.1	22	2	11	26.2	53.1	84.2	22.3	8	M10×1.25	35.28	26.18	0.99
SSA 212-36		60														1.00
SSA 212-37		60											3/8-24			1.00
SSA 212-38		60														0.99
SSA 212-39		60														0.98


不锈钢外球面轴承 *Stainless Steel Bearings*

SSB200 系列不锈钢外球面轴承 SSB200 SERIES STAINLESS STEEL BEARING



Unit: mm

带座轴承型号 Bearing Unit No.	轴径 Bore Dia. d		D	Bi	Be	r	N	M	G	ds	额定动负荷 Basic Load Rating (kN)	额定静负荷 Basic Static Load Rating (kN)	重量 Weight (kg)
	(inch)	(mm)											
SSB 201	1/2	12	40	22	12	1	6	16	4.5	M5×0.8	7.82	3.58	0.10
SSB 201-8		12								10-32			0.10
SSB 202	5/8	15								M5×0.8			0.09
SSB 202-10		15								10-32			0.09
SSB 203	11/16	17								M5×0.8			0.08
SSB 203-11		17								10-32			0.08
SSB 204	3/4	20	47	25	14	1	7	18	5	M6×0.75	10.37	5.04	0.12
SSB 204-12		20								1/4-28			0.13
SSB 205	7/8	25	52	27	15	1.2	7.5	19.5	5.5	M6×0.75	11.31	5.97	0.17
SSB 205-14		25								1/4-28			0.18
SSB 205-15		25								1/4-28			0.17
SSB 205-16		25								1/4-28			0.16
SSB 206	1-1/16	30	62	30	16	1.2	8	22	6	M6×0.75	15.73	8.64	0.25
SSB 206-17		30								1/4-28			0.28
SSB 206-18		30								1/4-28			0.26
SSB 206-19		30								1/4-28			0.25
SSB 206-20		30								1/4-28			0.23
SSB 207	1-1/4	35	72	32	17	1.5	8.5	23.5	6	M8×1	20.83	11.68	0.37
SSB 207-20		35								1/4-28			0.41
SSB 207-21		35								1/4-28			0.39
SSB 207-22		35								1/4-28			0.37
SSB 207-23		35								1/4-28			0.35
SSB 208	1-1/2	40	80	34	18	1.5	9	25	7	M8×1	23.55	13.6	0.45
SSB 208-24		40								5/16-24			0.48
SSB 208-25		40								5/16-24			0.45
SSB 209	1-5/8	45	85	41.2	19	1.5	10.2	31	8	M8×1	26.44	19.56	0.80
SSB 209-26		45								5/16-24			
SSB 209-27		45								5/16-24			
SSB 209-28		45								5/16-24			
SSB 210	1-13/16	50	90	43.5	20	1.5	10.9	32.6	9.5	M8×1	30.01	22.53	0.87
SSB 210-29		50								5/16-24			
SSB 210-30		50								5/16-24			
SSB 210-31		50								5/16-24			
SSB 210-32		50								5/16-24			
SSB 211	2	55	100	45.3	21	1.5	11.8	33.5	10	M10×1.25	32.39	24	1.10
SSB 211-32		55								5/16-24			
SSB 211-33		55								5/16-24			
SSB 211-34		55								5/16-24			
SSB 211-35		55								5/16-24			
SSB 212	2-1/4	60	110	53.7	22	1.8	14.9	38.8	10	M10×1.25	35.28	26.18	1.30
SSB 212-36		60								5/16-24			
SSB 212-37		60								5/16-24			
SSB 212-38		60								5/16-24			
SSB 212-39		60								5/16-24			



DISTRIBUTOR

地址: 江苏省常州市龙城大道2188号新闸科技工业园2号楼
Add: Building No.2, Xinzha Hi-tech Industrial Park
No.2188, Longcheng Ave., Changzhou, Jiangsu,
China 213012
电话: (Tel) +86-519-88166775, 86617695
E-Mail: sales@net-conveyor.com
Web: www.net-conveyor.com