




CHAINS, BELTS & COMPONENTS



输送配件：
 夹子，旋紧头，支架，铰链，扳手
CONVEYOR COMPONENTS:
CLAMPS, KNOBS, BRACKETS,
HINGES, HANDLES

旋紧头 *Knobs*

N234A 旋紧头 N234A KNOB




编号 Code	M	重量 Weight (kg)
N234A-M8	M8	0.09
N234A-M10	M10	0.09

材质: 增强尼龙, 六角嵌件为铜镀镍或不锈钢

Material: Reinforced Polyamide, Hexagonal Insert in Nickel Plated Brass or Stainless Steel

N234B 旋紧头 N234B KNOB




编号 Code	M	重量 Weight (kg)
N234B-M8	M8	0.11
N234B-M10	M10	0.11

材质: 增强尼龙, 六角嵌件为铜镀镍或不锈钢

Material: Reinforced Polyamide, Hexagonal Insert in Nickel Plated Brass or Stainless Steel

N235A 旋紧头 N235A KNOB




编号 Code	D (mm)	d (mm)	L (mm)	H (mm)	h (mm)	di (mm)	重量 Weight (kg)
N235A-20-M4x15	20	M4	15	13	7	8.5	0.015
N235A-20-M4x20	20	M4	20	13	7	8.5	0.015
N235A-20-M4x25	20	M4	25	13	7	8.5	0.015
N235A-20-M5x15	20	M5	15	13	7	8.5	0.015
N235A-20-M5x20	20	M5	20	13	7	8.5	0.015
N235A-20-M5x25	20	M5	25	13	7	8.5	0.015
N235A-30-M5x40	30	M5	40	21	11	17	0.010
N235A-30-M6x16	30	M6	16	21	11	17	0.012
N235A-30-M6x20	30	M6	20	21	11	17	0.015
N235A-30-M8x20	30	M8	20	21	11	17	0.018
N235A-30-M8x30	30	M8	30	21	11	17	0.022
N235A-40-M8x15	40	M8	15	25	15	19.5	0.023
N235A-40-M8x20	40	M8	20	25	15	19.5	0.030
N235A-40-M10x20	40	M10	20	25	15	19.5	0.040
N235A-40-M10x30	40	M10	30	25	15	19.5	0.045
N235A-45-M8x25	45	M8	25	32	19	21	0.047
N235A-45-M10x25	45	M10	25	32	19	21	0.050
N235A-45-M10x30	45	M10	30	32	19	21	0.055

材质: 增强尼龙, 嵌件为黄铜

Material: Reinforced Polyamide, Insert in Nickel Plated Brass

N235B 旋紧头 N235B KNOB




编号 Code	M	重量 Weight (kg)
N235B-M10	M10	0.10
N235B-M12	M12	0.11
N235B-M14	M14	0.125
N235B-M16	M16	0.15

材质: 增强尼龙, 嵌件为碳钢镀镍或不锈钢

Material: Reinforced Polyamide, Insert in Nickel Plated Carbon Steel, or Stainless Steel

N235C 旋紧头 N235C KNOB




编号 Code	L (mm)	M	重量 Weight (kg)
N235C-M8x15	15	M8	0.05
N235C-M10x15	15	M10	0.05
N235C-M10x25	25	M10	0.05

材质: 增强尼龙, 嵌件为铜镀镍或不锈钢

Material: Reinforced Polyamide, Insert in Nickel Plated Brass or Stainless Steel

旋紧头/调整头组 *Knobs / Adjustable Heads*


N236 旋紧头 N236 KNOB



编号 Code	D (mm)	d	H (mm)	h (mm)	di (mm)	重量 Weight (kg)
N236-20-M5	20	M5	13	7	8.5	0.013
N236-30-M5	30	M5	21	11	17	0.014
N236-30-M6	30	M6	21	11	17	0.015
N236-30-M8	30	M8	21	11	17	0.016
N236-40-M6	40	M6	25	15	19.5	0.018
N236-40-M8	40	M8	25	15	19.5	0.020
N236-40-M10	40	M10	25	15	19.5	0.024
N236-45-M8	45	M8	37	19	21	0.025
N236-45-M10	45	M10	37	19	21	0.025


材质：增强尼龙，嵌件为黄铜
Material: Reinforced Polyamide, with Brass Insert

N237A 短调整头组 N237A SHORT ADJUSTABLE HEAD WITH KNOB




编号 Code	孔径 d (mm)	材质 Material
N237A - 12	12	增强尼龙
N237A - 14	14	吊环，螺丝及垫片：不锈钢 Reinforced Polyamide
N237A - 16	16	Eyebolt, Screw, Nut and Washer: Stainless Steel

N237B 长调整头组 N237B LONG ADJUSTABLE HEAD WITH KNOB




编号 Code	孔径 d (mm)	材质 Material
N237B - 12	12	增强尼龙
N237B - 14	14	吊环，螺丝及垫片：不锈钢 Reinforced Polyamide
N237B - 16	16	Eyebolt, Screw, Nut and Washer: Stainless Steel

N237C 不锈钢调整头组 N237C SS ADJUSTABLE HEAD WITH KNOB



编号 Code	孔径 d (mm)	材质 Material
N237C - 12	12	不锈钢 Stainless Steel
N237C - 14	14	
N237C - 16	16	


N237D 不锈钢调整头组 N237D SS ADJUSTABLE HEAD WITH KNOB



编号 Code	孔径 d (mm)	材质 Material
N237D - 12	12	不锈钢 Stainless Steel
N237D - 14	14	
N237D - 16	16	

调节码 Heads


N811/812 中置码
N811/812 HEAD



编号 Code	L (mm)	d (mm)
N811 - 12	48	12
N811 - 14		14
N811 - 16		16
N812 - 12	65	12
N812 - 14		14
N812 - 16		16

材质：增强尼龙
Material: Reinforced Polyamide


N813/814 圆顶置码
N813/814 HEAD



编号 Code	L (mm)	d (mm)
N813 - 12	20	12
N813 - 14		14
N813 - 16		16
N814 - 12	40	12
N814 - 14		14
N814 - 16		16

材质：增强尼龙
Material: Reinforced Polyamide


N815/816 不锈钢中置码
N815/816 SS HEAD



编号 Code	D (mm)	d (mm)	L	L1
N815 - 12	25	12	根据客户要求加工 According to customer's requirements.	
N815 - 14		14		
N815 - 16		16		
N816 - 12	30	12		
N816 - 14		14		
N816 - 16		16		

材质：不锈钢
Material: Stainless Steel

N817 方圆中置码
N817 HEAD




材质：增强尼龙
Material: Reinforced Polyamide

N818 调整垫片
N818 SPACER FOR HEAD



材质：增强尼龙
Material: Reinforced Polyamide



护栏支架 Side Guide Brackets

N238 护栏支架



N238 SIDE GUIDE BRACKET



编号 Code	ØDE (mm)	重量 Weight (kg)
N238-12	12	0.30
N238-14	14	0.30
N238-16	16	0.30

材质：增强尼龙配不锈钢螺丝组

Material: Reinforced Polyamide with Stainless Steel Set Screws



N239A 护栏支架



N239A SIDE GUIDE BRACKET



编号 Code	ØDE (mm)	重量 Weight (kg)
N239A-12	12	0.23
N239A-14	14	0.23
N239A-16	16	0.23

材质：增强尼龙配不锈钢螺丝组

Material: Reinforced Polyamide with Stainless Steel Set Screws



N239B 护栏支架



N239B SIDE GUIDE BRACKET



编号 Code	ØDE (mm)	重量 Weight (kg)
N239B-12	12	0.23
N239B-14	14	0.23
N239B-16	16	0.23

材质：增强尼龙配不锈钢螺丝组

Material: Reinforced Polyamide with Stainless Steel Set Screws



护栏支架 Side Guide Brackets


N240A 护栏支架

N240A SIDE GUIDE BRACKET



编号 Code	ØDE (mm)	重量 Weight (kg)
N240A-12	12	0.20
N240A-14	14	0.20
N240A-16	16	0.20

材质：增强尼龙配不锈钢螺丝组
Material: Reinforced Polyamide with Stainless Steel Set Screws




N240B 护栏支架

N240B SIDE GUIDE BRACKET



编号 Code	ØDE (mm)	重量 Weight (kg)
N240B-12	12	0.20
N240B-14	14	0.20
N240B-16	16	0.20

材质：增强尼龙配不锈钢螺丝组
Material: Reinforced Polyamide with Stainless Steel Set Screws




N241A 护栏支架

N241A SIDE GUIDE BRACKET



编号 Code	ØDE (mm)	重量 Weight (kg)
N241A-12	12	0.36
N241A-14	14	0.36
N241A-16	16	0.36

材质：增强尼龙配不锈钢螺丝组
Material: Reinforced Polyamide with Stainless Steel Set Screws




N241B 护栏支架

N241B SIDE GUIDE BRACKET



编号 Code	ØDE (mm)	重量 Weight (kg)
N241B-12	12	0.36
N241B-14	14	0.36
N241B-16	16	0.36

材质：增强尼龙配不锈钢螺丝组
Material: Reinforced Polyamide with Stainless Steel Set Screws





不锈钢护栏支架 SS Side Guide Brackets

N257 不锈钢护栏支架
N257 SS SIDE GUIDE BRACKET



编号 Code	ØDE (mm)	重量 Weight (kg)
N257-12	12	0.44
N257-14	14	0.44
N257-16	16	0.44

材质：不锈钢
Material: Stainless Steel





N258 不锈钢护栏支架
N258 SS SIDE GUIDE BRACKET



编号 Code	ØDE (mm)	重量 Weight (kg)
N258-12	12	0.52
N258-14	14	0.52
N258-16	16	0.52

材质：不锈钢
Material: Stainless Steel





SIDE GUIDE BRACKETS

不锈钢 / 塑料支架 SS / Plastic Side Brackets


N291 不锈钢支架 N291 SS SIDE GUIDE BRACKET




材质：不锈钢
Material: Stainless Steel



N292 不锈钢支架 N292 SS SIDE GUIDE BRACKET







材质：不锈钢
Material: Stainless Steel



编号 Code	L (mm)	L1 (mm)
N252A	25	48.3
N252B	25	50.8
N252C	76.2	50.8

N259 护栏支架垫板 N259 SPACER FOR BRACKET




编号 Code	L (mm)	L1 (mm)	h (mm)	h1 (mm)	重量 Weight (kg)
N259A	80	51	42	10.2	0.035
N259B	107	81	48	10.2	0.048
N259C	115	87	48	10.2	0.051

材质：增强尼龙
Material: Reinforced Polyamide

N260 塑料支架 N260 SIDE BRACKET




材质：增强尼龙
Material: Reinforced Polyamide



N261 塑料支架 N261 SIDE BRACKET



材质：增强尼龙
Material: Reinforced Polyamide






不锈钢钣金件支架 SS Brackets

L 型不锈钢钣金件支架 L TYPE SS BRACKET



材质：不锈钢
Material: Stainless Steel

编号 Code	尺寸 Size (mm)	重量 Weight (kg)
N801A	70*70*40	0.149




带钩L型不锈钢钣金件支架 L TYPE SS BRACKET WITH HOOK



材质：不锈钢
Material: Stainless Steel

编号 Code	尺寸 Size (mm)	重量 Weight (kg)
N801B	70*70*40	0.150




L 型不锈钢钣金件支架 L TYPE SS BRACKET



材质：不锈钢
Material: Stainless Steel

编号 Code	尺寸 Size (mm)	重量 Weight (kg)
N802A	140*70*40	0.230




带钩L型不锈钢钣金件支架 L TYPE SS BRACKET WITH HOOK



材质：不锈钢
Material: Stainless Steel

编号 Code	尺寸 Size (mm)	重量 Weight (kg)
N802B	140*70*40	0.233




L 型不锈钢钣金件支架 L TYPE SS BRACKET



材质：不锈钢
Material: Stainless Steel

编号 Code	尺寸 Size (mm)	重量 Weight (kg)
N802C	120*70*40	0.203



SS BRACKETS

不锈钢钣金件支架调整组 *SS Brackets Articulated Group*

不锈钢钣金件支架调整组


SS BRACKET ARTICULATED GROUP



材质：不锈钢

Material: Stainless Steel

编号 Code	L (mm)	H (mm)	重量 Weight (kg)
N803A1	43.3	24.5	0.43
N803A2	75	60	0.59



不锈钢钣金件支架调整组


SS BRACKET ARTICULATED GROUP



材质：不锈钢

Material: Stainless Steel

编号 Code	L (mm)	H (mm)	重量 Weight (kg)
N803B1	43.3	24.5	0.44
N803B2	75	60	0.60



不锈钢钣金件支架调整组


SS BRACKET ARTICULATED GROUP



材质：不锈钢

Material: Stainless Steel

编号 Code	L (mm)	H (mm)	重量 Weight (kg)
N804A1	43.3	24.5	0.54
N804A2	75	60	0.70



不锈钢钣金件支架调整组


SS BRACKET ARTICULATED GROUP



材质：不锈钢

Material: Stainless Steel

编号 Code	L (mm)	H (mm)	重量 Weight (kg)
N804B1	43.3	24.5	0.55
N804B2	75	60	0.71



不锈钢钣金件支架调整组


SS BRACKET ARTICULATED GROUP



材质： 不锈钢

Material: Stainless Steel

编号 Code	L (mm)	H (mm)	重量 Weight (kg)
N805A1	43.3	24.5	0.52
N805A2	75	60	0.68



侧边锁头 Side Mounting Top Brackets

N242 侧边锁头


N242 SIDE MOUNTING TOP BRACKET



编号 Code	ØDF (mm)	重量 Weight (kg)
N242-48.3	48.3	0.32
N242-50.9	50.9	0.32

材质：增强尼龙配不锈钢螺丝组

Material: Reinforced Polyamide with Stainless Steel Set Screws



N243 侧边锁头


N243 SIDE MOUNTING TOP BRACKET



编号 Code	ØDF (mm)	重量 Weight (kg)
N243-48.3	48.3	0.56
N243-60.3	60.3	0.56


材质：增强尼龙配不锈钢螺丝组

Material: Reinforced Polyamide with Stainless Steel Set Screws



N244 宽侧边锁头

N244 SIDE MOUNTING TOP BRACKET




编号 Code	ØDF (mm)	重量 Weight (kg)
N244-48.3	48.3	0.42

材质：增强尼龙配不锈钢螺丝组

Material: Reinforced Polyamide with Stainless Steel Set Screws

N245 侧边锁头

N245 SIDE MOUNTING TOP BRACKET



编号 Code	ØDF (mm)	重量 Weight (kg)
N245-48.3	48.3	0.34

材质：增强尼龙配不锈钢螺丝组

Material: Reinforced Polyamide with Stainless Steel Set Screws

不锈钢侧边锁头 SS Side Mounting Top Brackets


N262 不锈钢侧边锁头

N262 SS SIDE MOUNTING TOP BRACKET







编号 Code	ØDF (mm)	重量 Weight (kg)
N262-50.8	50.8	0.33

材质：不锈钢配增强尼龙盖
Material: SS with Reinforced Polyamide Cover



N293 不锈钢侧边锁头

N293 SS SIDE MOUNTING TOP BRACKET




编号 Code	ØDF (mm)	重量 Weight (kg)
N293-48.3	48.3	0.63

材质：不锈钢
Material: Stainless Steel

联合三通 Connecting Joints


N246A 联合三通 N246A CONNECTING JOINT



编号 Code	ØDF (mm)	重量 Weight (kg)
N246A-48.3	48.3	0.29

材质：增强尼龙配不锈钢螺丝组
Material: Reinforced Polyamide with Stainless Steel Set Screws


N246B 联合三通 N246B CONNECTING JOINT



编号 Code	ØDF (mm)	重量 Weight (kg)
N246B-48.3	48.3	0.37
N246B-50.9	50.9	0.37

材质：增强尼龙配不锈钢螺丝组
Material: Reinforced Polyamide with Stainless Steel Set Screws


N247 联合三通 N247 CONNECTING JOINT



编号 Code	ØDF (mm)	重量 Weight (kg)
N247-48.3	48.3	0.39
N247-50.9	50.9	0.39


材质：增强尼龙配不锈钢螺丝组
Material: Reinforced Polyamide with Stainless Steel Set Screws

N250 联合三通 N250 CONNECTING JOINT




编号 Code	ØDF (mm)	ØD2 (mm)	重量 Weight (kg)
N250-48.3	48.3	42.4 / 48.3	0.32
N250-50.9	50.9	42.4 / 50.9 / 60.3	0.40
N250-60.3	60.3	42.4 / 50.9 / 60.3	0.40

材质：增强尼龙配不锈钢螺丝组
Material: Reinforced Polyamide with Stainless Steel Set Screws



不锈钢联合三通 / 支撑架 *SS Connecting Joints / Frame Supports*


N263 不锈钢联合三通
N263 SS CONNECTING JOINT



编号 Code	ØDF1 (mm)	ØDF2 (mm)	重量 Weight (kg)
N263	48.3	48.3	0.28

材质：不锈钢
Material: Stainless Steel


N264 不锈钢联合三通
N264 SS CONNECTING JOINT



编号 Code	ØDF1 (mm)	ØDF2 (mm)	重量 Weight (kg)
N264	60.3	60.3	0.54

材质：不锈钢
Material: Stainless Steel


N294 不锈钢支撑架
N294 SS FRAME SUPPORT



编号 Code	ØDF (mm)	重量 Weight (kg)
N294	48.3	0.26

材质：不锈钢
Material: Stainless Steel

N295 不锈钢支撑架
N295 SS FRAME SUPPORT




编号 Code	重量 Weight (kg)
N295	0.06

材质：不锈钢
Material: Stainless Steel

十字接头 / 支撑架 *Cross Joints / Frame Supports*

N248 方孔十字接头

N248 SQUARE BORE CROSS JOINT




编号 Code	ØDF1 (mm)	ØDF2 (mm)	重量 Weight (kg)
N248-40x16	40	16	0.21
N248-40x20	40	20	0.21

材质: 增强尼龙配不锈钢螺丝组
Material: Reinforced Polyamide with Stainless Steel Set Screws

N249 圆孔十字接头

N249 ROUND BORE CROSS JOINT




编号 Code	ØDF1 (mm)	ØDF2 (mm)	重量 Weight (kg)
N249-38.1x16	38.1	16	0.22
N249-38.1x20	38.1	20	0.22

材质: 增强尼龙配不锈钢螺丝组
Material: Reinforced Polyamide with Stainless Steel Set Screws

N251 支撑架

N251 FRAME SUPPORT




编号 Code	ØDF (mm)	重量 Weight (kg)
N251-48.3	48.3	0.40
N251-50.9	50.9	0.40
N251-60.3	60.3	0.40

材质: 增强尼龙配不锈钢螺丝组
Material: Reinforced Polyamide with Stainless Steel Set Screws

N252 支撑架

N252 FRAME SUPPORT




编号 Code	ØDF (mm)	重量 Weight (kg)
N252-48.3	48.3	0.38
N252-50.9	50.9	0.38
N252-60.3	60.3	0.38

材质: 增强尼龙配不锈钢螺丝组
Material: Reinforced Polyamide with Stainless Steel Set Screws

N253 支撑架

N253 FRAME SUPPORT




编号 Code	ØDF (mm)	重量 Weight (kg)
N253-48.3	48.3	0.25
N253-50.9	50.9	0.25

材质: 增强尼龙配不锈钢螺丝组
Material: Reinforced Polyamide with Stainless Steel Set Screws




卡箍 Clamps

N267 双销卡箍 N267 DOUBLE PIN SANITARY HINGE CLAMP





编号 Code	管径 Tube Size (inch)	A	
		(inch)	(mm)
N267 - 150	1 & 1 - 1/2	2.122	53.9
N267 - 200	2	2.654	67.4
N267 - 250	2 - 1/2	3.185	80.9
N267 - 300	3	3.717	94.4
N267 - 400	4	4.820	122.4
N267 - 600	6	6.695	170.4
N267 - 800	8	8.695	221.2

N268 重型卡箍 N268 HEAVY DUTY CLAMP




编号 Code	管径 Tube Size (inch)	A	
		(inch)	(mm)
N268 - 075	1/2 & 3/4	1.062	28.0
N268 - 150	1 & 1 - 1/2	2.122	53.9
N268 - 200	2	2.654	67.4
N268 - 250	2 - 1/2	3.185	80.9
N268 - 300	3	3.717	94.4
N268 - 400	4	4.820	122.4
N268 - 600	6	6.695	170.4
N268 - 800	8	8.695	221.2

N269 高压卡箍 N269 HIGH PRESSURE CLAMP



编号 Code	管径 Tube Size (inch)	A	
		(inch)	(mm)
N269 - 075	1/2 & 3/4	1.062	28.0
N269 - 150	1 & 1 - 1/2	2.046	52.0
N269 - 200	2	2.578	65.5
N269 - 250	2 - 1/2	3.110	79.0
N269 - 300	3	3.640	92.5
N269 - 400	4	4.744	120.5
N269 - 600	6	6.632	168.0

N270A 卡箍 N270A CLAMP




d: Ø50 ~ Ø65

NET[®] 可以提供多种款式的卡箍，有不同材质可供选择，敬请来函来电索取详细信息。

NET[®] supplies a diverse selection of clamps made from various materials. Contact us for more information.

立字接头 Connecting Joints


N271 立字接头 N271 CONNECTING JOINT



编号 Code	ØDF (mm)	重量 Weight (kg)
N271	12 / 14 / 16	0.040

材质: 增强尼龙
Material: Reinforced Polyamide


N271A 立字接头组 N271A CONNECTING JOINT



编号 Code	ØDF (mm)	重量 Weight (kg)
N271A	12 / 14 / 16	0.120

材质: 增强尼龙, 六角嵌件为铜镀镍或不锈钢
Material: Reinforced Polyamide, Hexagonal Insert in Nickel Plated Brass or Stainless Steel


N272 立字接头 N272 CONNECTING JOINT



编号 Code	ØDF (mm)	重量 Weight (kg)
N272	12 / 14 / 16	0.045

材质: 增强尼龙
Material: Reinforced Polyamide


N272A 立字接头组 N272A CONNECTING JOINT



编号 Code	ØDF (mm)	重量 Weight (kg)
N272A	12 / 14 / 16	0.125

材质: 增强尼龙, 六角嵌件为铜镀镍或不锈钢
Material: Reinforced Polyamide, Hexagonal Insert in Nickel Plated Brass or Stainless Steel


N273 立字接头 N273 CONNECTING JOINT



编号 Code	ØDF (mm)	重量 Weight (kg)
N273	12 / 14 / 16	0.063

材质: 增强尼龙
Material: Reinforced Polyamide


N273A 立字接头组 N273A CONNECTING JOINT



编号 Code	ØDF (mm)	重量 Weight (kg)
N273A	12 / 14 / 16	0.143

材质: 增强尼龙, 六角嵌件为铜镀镍或不锈钢
Material: Reinforced Polyamide, Hexagonal Insert in Nickel Plated Brass or Stainless Steel


N274 立字接头 N274 CONNECTING JOINT



编号 Code	ØDF (mm)	重量 Weight (kg)
N274	12 / 14 / 16	0.068

材质: 增强尼龙
Material: Reinforced Polyamide

N274A 立字接头组 N274A CONNECTING JOINT




编号 Code	ØDF (mm)	重量 Weight (kg)
N274A	12 / 14 / 16	0.148

材质: 增强尼龙, 六角嵌件为铜镀镍或不锈钢
Material: Reinforced Polyamide, Hexagonal Insert in Nickel Plated Brass or Stainless Steel

配件 Components

N275 电眼控制触杆

N275 CROSS JOINT WITH SQUARE APERTURE





编号 Code	型式 Type	重量 Weight (kg)
N275A	通孔型 With Hole (No Insert)	0.066
N275B	感应型 With Hole and Metal Insert	0.066
N275C	无孔型 Without Hole	0.067

材质: 增强尼龙配不锈钢螺丝组
Material: Reinforced Polyamide with Stainless Steel Set Screws

N276 光电镜安装盘

N276 INSTALL PATCH FOR PHOTOELECTRIC EYES




编号 Code	颜色 Color	重量 Weight (kg)
N276	黑色 Black	0.090

材质: 增强尼龙
Material: Reinforced Polyamide

N277 光电镜安装座

N277 BASE FOR PHOTOELECTRIC EYES



编号 Code	颜色 Color	重量 Weight (kg)
N277	黑色 Black	0.021

材质: 增强尼龙
Material: Reinforced Polyamide



螺杆 FEED SCREW
(Made to Order)



星轮 STAR WHEEL
(Made to Order)



抓头 PICK-UP HEAD



DISTRIBUTOR

地址: 江苏省常州市龙城大道2188号新闸科技工业园2号楼
 Add: Building No.2, Xinzha Hi-tech Industrial Park
 No.2188, Longcheng Ave., Changzhou, Jiangsu,
 China 213012
 电话: (Tel) +86-519-88166775, 86617695
 E-Mail: sales@net-conveyor.com
 Web: www.net-conveyor.com

