




CHAINS, BELTS & COMPONENTS



输送配件：


链条导轨，输送导轨，张紧器

CONVEYOR COMPONENTS:

CHAIN GUIDES

CONVEYOR TRACKS



CHAIN TENSIONERS



滚子链导轨 *Roller Chain Guides*

W630 (Type T1)



Unit: mm / inch



链条型号 Chain No.	节距 Pitch	W	H	A	h	产品编号 Code
06B1	3/8"	15	10	5.4	1.5	W630-06B1
08B1	1/2"	20	10	7.4	2.2	W630-08B1
10B1	5/8"	20	10	9.2	2.6	W630-10B1
12B1	3/4"	25	10	11.3	2.4	W630-12B1
16B1	1"	40	15	16.5	3.5	W630-16B1
06C-1	3/8"	0.59"	0.39"	0.17"	0.09"	W630-06C1
08A-1	1/2"	0.79"	0.39"	0.29"	0.09"	W630-08A1
10A-1	5/8"	0.79"	0.39"	0.35"	0.11"	W630-10A1
12A-1	3/4"	1.18"	0.59"	0.46"	0.14"	W630-12A1
16A-1	1"	1.57"	0.59"	0.58"	0.19"	W630-16A1

W631 (Type T2)


Unit: mm / inch



链条型号 Chain No.	节距 Pitch	W	H	A	h	B	产品编号 Code
06B2	3/8"	25	10	5.4	1.5	16	W631-06B2
08B2	1/2"	35	10	7.4	2.2	21	W631-08B2
10B2	5/8"	40	10	9.2	2.6	26	W631-10B2
12B2	3/4"	45	10	11.3	2.4	31	W631-12B2
16B2	1"	75	15	17	4.2	58	W631-16B2
06C-2	3/8"	0.98"	0.39"	0.17"	0.09"	0.57"	W631-06C2
08A-2	1/2"	1.38"	0.39"	0.29"	0.09"	0.86"	W631-08A2
10A-2	5/8"	1.57"	0.39"	0.35"	0.11"	1.06"	W631-10A2
12A-2	3/4"	1.57"	0.59"	0.46"	0.14"	1.36"	W631-12A2
16A-2	1"	1.73"	0.59"	0.58"	0.19"	1.73"	W631-16A2

W633 (Type U)

Unit: mm / inch





链条型号 Chain No.	节距 Pitch	W	H	C	h	J	d	产品编号 Code
06B	3/8"	20	15	9.2	4.2	2.8	4	W633-06B
08B	1/2"	25	15	12.7	4.8	3.5	5	W633-08B
10B	5/8"	25	15	15.2	5.1	3.6	6	W633-10B
12B	3/4"	25	20	16.7	5.7	3.9	7	W633-12B
16B	1"	35	25	24.4	10	8.4	9	W633-16B
06C-1	3/8"	0.79"	0.59"	0.39"	0.18"	0.11"	0.18"	W633-06C1
08A-1	1/2"	0.79"	0.59"	0.52"	0.20"	0.12"	0.20"	W633-08A1
10A-1	5/8"	0.98"	0.59"	0.65"	0.26"	0.17"	0.25"	W633-10A1
12A-1	3/4"	1.18"	0.79"	0.78"	0.30"	0.20"	0.29"	W633-12A1
16A-1	1"	1.38"	0.79"	1.04"	0.37"	0.25"	0.39"	W633-16A1

滚子链导轨 *Roller Chain Guides*

W634 (Type CU)


Unit: mm / inch



链条型号 Chain No.	节距 Pitch	W	H	K	h	J	d	产品编号 Code
06B	3/8"	20	10	15	4.2	2.8	4	W634-06B
08B	1/2"	25	15	22	4.8	3.5	5	W634-08B
10B	5/8"	25	15	22	5.1	3.6	6	W634-10B
12B	3/4"	25	20	27	5.7	3.9	7	W634-12B
16B	1"	35	25	33	10	8.4	9	W634-16B
06C-1	3/8"	0.79"	0.55"	0.71"	0.18"	0.11"	0.18"	W634-06C1
08A-1	1/2"	0.79"	0.55"	0.71"	0.20"	0.12"	0.20"	W634-08A1
10A-1	5/8"	0.98"	0.63"	0.79"	0.26"	0.17"	0.25"	W634-10A1
12A-1	3/4"	1.18"	0.71"	0.87"	0.30"	0.20"	0.29"	W634-12A1
16A-1	1"	1.38"	0.79"	0.98"	0.37"	0.25"	0.39"	W634-16A1

W635 (Type ETA)


Unit: mm / inch



链条型号 Chain No.	节距 Pitch	W	H1	H2	A	产品编号 Code
06B1	3/8"	20	30	17	14.5	W635-06B1
08B1	1/2"	20	34	18	16.5	W635-08B1
10B1	5/8"	20	41	21	15.5	W635-10B1
12B1	3/4"	28	46.5	24	18.6	W635-12B1
16B1	1"	38	62	34	25	W635-16B1
06C-1	3/8"	0.67"	1.29"	0.74"	0.59"	W635-06C1
08A-1	1/2"	0.79"	1.54"	0.80"	0.65"	W635-08A1
10A-1	5/8"	0.94"	1.82"	0.96"	0.78"	W635-10A1
12A-1	3/4"	1.18"	2.21"	1.15"	0.95"	W635-12A1
16A-1	1"	1.50"	3.00"	1.59"	1.21"	W635-16A1

W636 (Type CT)

Unit: mm / inch





链条型号 Chain No.	节距 Pitch	W	H	K	h	A	产品编号 Code
06B1	3/8"	20	15	17	1.5	5.4	W636-06B1
08B1	1/2"	20	15	17	2.2	7.4	W636-08B1
10B1	5/8"	20	15	17	2.6	9.2	W636-10B1
12B1	3/4"	28	15	18	2.4	11.3	W636-12B1
16B1	1"	28	20	24	3.5	16.5	W636-16B1
06C-1	3/8"	0.67"	0.55"	0.67"	0.09"	0.17"	W636-06C1
08A-1	1/2"	0.67"	0.55"	0.67"	0.09"	0.29"	W636-08A1
10A-1	5/8"	0.67"	0.55"	0.67"	0.11"	0.35"	W636-10A1
12A-1	3/4"	0.94"	0.55"	0.79"	0.14"	0.46"	W636-12A1
16A-1	1"	0.94"	0.55"	0.79"	0.19"	0.58"	W636-16A1


滚子链导轨 *Roller Chain Guides*

W637 (Type TS)

Unit: mm / inch



TYPE A





TYPE B


链条型号 Chain No.	节距 Pitch	W	H	b	h	A	S	产品编号 Code
06B1	3/8"	25	10	15	1.5	5.4	4.4	W637-06B1
08B1	1/2"	30	15	20	2.2	7.4	7.2	W637-08B1
10B1	5/8"	33	20	23	2.6	9.2	9.5	W637-10B1
12B1	3/4"	38	20	28	2.4	11.3	11.1	W637-12B1
16B1	1"	51	25	41	3.5	16.5	16.5	W637-16B1
06C-1	3/8"	0.79"	0.39"	0.43"	0.09"	0.15"	0.03"	W637-06C1
08A-1	1/2"	0.98"	0.39"	0.61"	0.09"	0.25"	0.07"	W637-08A1
10A-1	5/8"	1.18"	0.59"	0.77"	0.11"	0.30"	0.09"	W637-10A1
12A-1	3/4"	1.38"	0.59"	0.96"	0.14"	0.40"	0.11"	W637-12A1
16A-1	1"	1.57"	0.79"	1.23"	0.19"	0.50"	0.14"	W637-16A1

W638 (Type TS2)

Unit: mm / inch



TYPE A




TYPE B


链条型号 Chain No.	节距 Pitch	W	H	I	h	A	S	B	C	d	产品编号 Code
06B2	3/8"	36	15	26	1.5	5.4	4.4	16	5.2	5	W638-06B2
08B2	1/2"	45	20	35	2.2	7.4	7.2	21	6.2	7	W638-08B2
10B2	5/8"	50	25	40	2.6	9.2	9.5	26	7.6	7	W638-10B2
12B2	3/4"	56	25	46	2.4	11.3	11.1	31	8.4	7.5	W638-12B2
16B2	1"	85	30	75	3.5	16.5	16.5	48.4	15.4	13.3	W638-16B2
06C-2	3/8"	1.41"	0.39"	1.01"	0.09"	0.17"	0.03"	0.57"	0.23"	0.22"	W638-06C2
08A-2	1/2"	1.78"	0.39"	1.38"	0.09"	0.29"	0.07"	0.86"	0.28"	0.26"	W638-08A2
10A-2	5/8"	2.16"	0.39"	1.74"	0.11"	0.35"	0.09"	1.06"	0.36"	0.34"	W638-10A2
12A-2	3/4"	2.56"	0.59"	2.16"	0.14"	0.46"	0.11"	1.36"	0.44"	0.40"	W638-12A2
16A-2	1"	3.15"	0.79"	2.75"	0.19"	0.58"	0.14"	1.73"	0.57"	0.51"	W638-16A2

W639 (Type CTS)

Unit: mm / inch



TYPE A





TYPE B

链条型号 Chain No.	节距 Pitch	W	H	K	b	h	A	S	产品编号 Code
06B1	3/8"	25	15	18	15	1.5	5.4	4.4	W639-06B1
08B1	1/2"	30	25	27	20	2.2	7.4	7.2	W639-08B1
10B1	5/8"	33	30	32	23	2.6	9.2	9.5	W639-10B1
12B1	3/4"	38	35	40	28	2.4	11.3	11.1	W639-12B1
16B1	1"	51	40	45	41	3.5	16.5	16.5	W639-16B1
06C-1	3/8"	0.79"	0.55"	0.67"	0.43"	0.09"	0.15"	0.03"	W639-06C1
08A-1	1/2"	0.98"	0.55"	0.71"	0.61"	0.09"	0.25"	0.07"	W639-08A1
10A-1	5/8"	1.18"	0.71"	0.87"	0.77"	0.11"	0.30"	0.09"	W639-10A1
12A-1	3/4"	1.38"	0.79"	0.98"	0.96"	0.14"	0.40"	0.11"	W639-12A1
16A-1	1"	1.57"	0.98"	1.26"	1.23"	0.19"	0.50"	0.14"	W639-16A1

滚子链导轨 *Roller Chain Guides*

W640 (Type CT2)


Unit: mm / inch



链条型号 Chain No.	节距 Pitch	W	H	K	h	A	产品编号 Code
06B2	3/8"	16	10	15	1.5	5.4	W640-06B2
08B2	1/2"	21	15	17	2.2	7.4	W640-08B2
10B2	5/8"	26	15	17	2.6	9.2	W640-10B2
12B2	3/4"	31	15	18	2.4	11.3	W640-12B2
06C-2	3/8"	0.57"	0.55"	0.67"	0.09"	0.17"	W640-06C2
08A-2	1/2"	0.86"	0.55"	0.67"	0.09"	0.29"	W640-08A2
10A-2	5/8"	1.06"	0.59"	0.79"	0.11"	0.35"	W640-10A2
12A-2	3/4"	1.36"	0.71"	0.87"	0.14"	0.46"	W640-12A2
16A-2	1"	1.73"	0.87"	1.18"	0.19"	0.58"	W640-16A2

W642 (Type CKG)


Unit: mm / inch



链条型号 Chain No.	节距 Pitch	W	K	h	D	产品编号 Code
06B	3/8"	30	24	5.6	6.6	W642-06B1
08B	1/2"	30	24	7.6	8.7	W642-08B1
10B	5/8"	30	24	9.3	10.4	W642-10B1
12B	3/4"	30	24	11.5	12.3	W642-12B1
16B	1"	45	40	15.9	16.2	W642-16B1
06C-1	3/8"	1.18"	0.94"	0.17"	0.21"	W642-06C1
08A-1	1/2"	1.18"	0.94"	0.29"	0.33"	W642-08A1
10A-1	5/8"	1.18"	0.94"	0.35"	0.42"	W642-10A1
12A-1	3/4"	1.18"	0.94"	0.46"	0.49"	W642-12A1
16A-1	1"	1.77"	1.57"	0.58"	0.66"	W642-16A1

W643 (Type CK)




Unit: mm / inch



链条型号 Chain No.	节距 Pitch	W	H	K	h1	J	h	d	D	C	产品编号 Code
06B	3/8"	20	17.5	21	5.6	8.7	9.9	4	6.6	9.3	W643-06B1
08B	1/2"	28	27.5	32	7.6	11.5	12.7	5	8.7	12.8	W643-08B1
10B	5/8"	28	27.5	32	9.3	13.5	14.8	6	10.4	15.4	W643-10B1
12B	3/4"	38	34.0	43	11.5	15.9	17.5	7	12.3	16.9	W643-12B1
16B	1"	38	40	50	15.9	25.7	28.2	9	16.2	24.4	W643-16B1
06C-1	3/8"	0.79"	0.87"	0.98"	0.17"	0.31"	0.37"	0.18"	0.21"	0.39"	W643-06C1
08A-1	1/2"	0.98"	1.06"	1.18"	0.29"	0.46"	0.53"	0.20"	0.33"	0.52"	W643-08A1
10A-1	5/8"	1.18"	1.18"	1.38"	0.35"	0.57"	0.64"	0.25"	0.42"	0.65"	W643-10A1
12A-1	3/4"	1.38"	1.38"	1.57"	0.46"	0.73"	0.81"	0.29"	0.49"	0.78"	W643-12A1
16A-1	1"	1.57"	1.77"	1.97"	0.58"	0.93"	1.01"	0.39"	0.66"	1.04"	W643-16A1

滚子链导轨 *Roller Chain Guides*



W644



Unit: mm / inch

链条型号 Chain No.	节距 Pitch	C型钢型号 C Profile Type	B	Hc	L	d1	d2	g	h1	h2	h3	产品编号 Code
06B - 1	3/8"	C14H	31	25	47	6.6	4	9.4	5.5	8.9	10.0	W644 - 06B - 1
083 - 1	1/2"	C14H	31	25	47	8.0	5	10.8	4.5	8.0	9.5	W644 - 083 - 1
085 - 1	1/2"	C14H	31	25	47	8.0	5	11.8	6.2	9.8	11.3	W644 - 085 - 1
08B - 1	1/2"	C14H	31	25	47	8.9	5	12.8	7.4	11.5	13.0	W644 - 08B - 1
10B - 1	5/8"	C14H	31	25	47	10.6	6	15.4	9.3	13.5	14.9	W644 - 10B - 1
12B - 1	3/4"	C14H	31	25	47	12.4	7	17.0	11.3	15.9	17.5	W644 - 12B - 1
16B - 1	1"	C16H	45	40	62	16.4	10	24.0	16.0	25.7	27.7	W644 - 16B - 1
20B - 1	1 1/4"	C16H	45	40	62	20.0	11	28.0	18.0	29.5	31.7	W644 - 20B - 1


W645



Unit: mm / inch

链条型号 Chain No.	节距 Pitch	C型钢型号 C Profile Type	B	Hc	L	d1	d2	g	h1	h2	h3	产品编号 Code
06B - 1	3/8"	C15V	31	25	53	6.6	4	9.4	5.5	8.9	10.0	W645 - 06B - 1
083 - 1	1/2"	C15V	31	25	53	8.0	5	10.8	4.5	8.0	9.5	W645 - 083 - 1
085 - 1	1/2"	C15V	31	25	53	8.0	5	11.8	6.2	9.8	11.3	W645 - 085 - 1
08B - 1	1/2"	C15V	31	25	53	8.9	5	12.8	7.4	11.5	13.0	W645 - 08B - 1
10B - 1	5/8"	C15V	31	25	53	10.6	6	15.4	9.3	13.5	14.9	W645 - 10B - 1
12B - 1	3/4"	C15V	31	25	53	12.4	7	17.0	11.3	15.9	17.5	W645 - 12B - 1
16B - 1	1"	C17V	45	40	67	16.4	10	24.0	16.0	25.7	27.7	W645 - 16B - 1
20B - 1	1 1/4"	C17V	45	40	67	20.0	11	28.0	18.0	29.5	31.7	W645 - 20B - 1

C型钢 Galvanized steel / Stainless Steel C Profiles



材质：钢镀锌或不锈钢


Material: Galvanized steel or Stainless Steel

Unit : mm

编号 Profile No.	B	H	b	s	L	长度 C Profile Length
C1	24	5.2	17.5	1.5	-	2000 6000
C3	20	10	10	1.5	-	2000 6000
C4	50	10	35	1.5	-	2000 6000
C5	28	12	14	1.5	-	2000 6000
C6	80	10	65	1.5	-	2000 6000
C7	28	16	14	1.5	-	2000 6000
C9	38	18	22	1.5	-	2000 6000
C10	30	24	20	1.5	-	2000 6000
C11	45	40	31	1.5	-	2000 6000
C12	60	20	36	1.5	-	2000 6000
C13	65	55	40	1.5	-	2000 6000
C14H	31	25	20	1.5	47	2000 6000
C15V	31	25	20	1.5	53	2000 6000
C16H	45	40	31	1.5	62	2000 6000
C17V	45	40	31	1.5	67	2000 6000


张紧器 Chain Tensioners

N254 张紧器
N254 CHAIN TENSIONER




编号 Code	链条 Chain No.	T (mm)
N254-08B1	08B-1	20
N254-10B1	10B-1	20
N254-12B1	12B-1	25
N254-16B1	16B-1	40
N254-06B2	06B-2	25
N254-08B2	08B-2	35
N254-10B2	10B-2	40
N254-12B2	12B-2	45
N254-16B2	16B-2	65

N255 张紧器
N255 CHAIN TENSIONER



编号 Code	链条 Chain No.	T (mm)
N255-06B1	06B-1	15
N255-08B1	08B-1	20
N255-10B1	10B-1	20
N255-12B1	12B-1	25
N255-16B1	16B-1	40
N255-06B2	06B-2	25
N255-08B2	08B-2	35
N255-10B2	10B-2	40
N255-12B2	12B-2	45
N255-16B2	16B-2	65

N256 张紧器
N256 CHAIN TENSIONER



N256张紧器配24B-1链条。
也可生产配其他链条的张紧器。
N256 is designed for Chain 24B-1.
Tensioners for other chains are also available.



DISTRIBUTOR

地址: 江苏省常州市龙城大道2188号新闸科技工业园2号楼
 Add: Building No.2, Xinzha Hi-tech Industrial Park
 No.2188, Longcheng Ave., Changzhou, Jiangsu,
 China 213012
 电话: (Tel) +86-519-88166775, 86617695
 E-Mail: sales@net-conveyor.com
 Web: www.net-conveyor.com

